CANADIAN SAUER LIMITED



SABAD GUN SHOP
605 CHAPMAN PARKWAY
HAMBURG, N. Y. 14075
PHONE 627-5588

103 CHURCH STREET — TORONTO, ONT.

CANADIAN SAUER LIMITED

103 CHURCH ST. TORONTO, ONT.

TEL. EMpire 3-3825

Sabad Gun Shop
WEST VALLEY,
NEW YORK

INDEX

	Page
J. P. Sauer & Son Double Barrel Shotguns	1- 3
J. P. Sauer & Son Shotgun-Rifle Combinations	4- 5
Carl Walther Small Bore Rifles and Accessories	6- 9
Krico Small Bore Rifles and Telescopic Sight Mounts	10
Weatherby Mk V De Luxe Rifles and Imperial Telescopic Sights — Colour Section	
Carl Walther Air Rifles	11
Carl Walther Automatic Pistols	12-14
Haemmerli Pistols	15-16
Hy Hunter Frontier Six-Shooter and Derringers	17
Starting Pistols, Blank Cartridges and Flares	18
Pecar Telescopic Sights	19-20
Buehler and European Telescopic Sight Mounts	21
Parker-Hale Telescopic Sight Mounts	22
RWS Centre Fire Cartridges and H-Mantel Bullets	23
DWM Sporting Ammunition	24
Weatherby Magnum Ammunition and Federal Primers No. 215	25
Geco Pistol Ammunition, Rottweil Shotgun Shells and RWS Brenneke Slugs	
RWS Air Gun Pellets, Parker-Hale Snap Caps and Nimrod Air Gun Darts	26
RWS Rim Fire Ammunition, BB Caps, 9mm Shot Shells and 4mm Indoor Ammunition	27
Hornady Bullets	28
RWS Primers	29
Accessories	30-31
Compasses	32
Mallardtone Game Calls	33
Hunting and Fishing Knives	34-35

J. P. SAUER & SON

DOUBLE BARREL SHOTGUNS
O/U SHOTGUN-RIFLE COMBINATIONS
DRILLINGS

The name J. P. Sauer is synonymous with guns. For centuries they have been setting the pace for European gun manufacturing and there was not a shotgun or rifle they could not produce in their vast works at Suhl in Thuringia. As a result of the second world war those factories were lost to the East, and it was only in 1951 that the great and renowned firm of J. P. Sauer & Son, surmounting the post war difficulties, resumed the manufacture of shotguns in their new factory at Eckernfoerde in Western Germany. Equipped with the most up-to-date machinery and employing the latest manufacturing techniques, they are once again one of the leading Sporting Gun Manufacturers in the world and are now supplying over eighty countries with their fine products. It gives us great pleasure to offer and recommend the J. P. Sauer Doubles, Over/Under Shotgun-Rifle Combinations as well as their world famous Drillings to the Canadian Sportsmen as guns which will give them entire satisfaction and which they will be proud to own.

Mod. KIM
STANDARD EXTRACTORS

Mod. KIM E
SPLIT AUTOMATIC EJECTORS

The Model KIM is the first of three new Models, which are now being made by J. P. Sauer & Son. Detailed inspection and thorough testing of all materials used in the manufacture of these Doubles (and the prescribed Government Proofing) combined with the traditional Sauer craftsmanship have resulted in this fine gun. Light—fast and well balanced, this Model features the reliable Anson & Deeley System with strong double under locking lugs, eliminating—as on high-priced English Guns—the necessity of the Greener cross bolt and facilitating the fast loading or unloading of the gun. The oil-finished stock of European Walnut with its fine checkering on pistol grip and fore-end, the tastefully engraved hunting scenes and its singular performance make the KIM a really fine gun.

SPECIFICATIONS:

Gauge: 12, 16 or 20.

Action: Anson & Deeley System with strong under locking lugs; mottled case hardened frame with engraved hunting scenes; automatic slide safety.

Barrels: Made of special highly refined "Bochumer Verein" gun barrel steel.

Extractors: Mod. KIM: Standard; Mod. KIM E: Split automatic ejectors.

Stock: Selected European Walnut, oil finished, with pistol grip and cheek-piece, fine checkering on pistol grip and fore end; sling swivels. Length of pull: 14½". Drop at comb: approx. 1⅝". At heel 2⅝".

Weight: Only 6½ lbs.

Fore-End: Mod. KIM — Standard or beavertail,
Mod. KIM E — Beavertail only.

Barrel length and chokes:

12 Gauge: 28½"—mod. & full.
26" —imp. cyl. & mod.
30" —mod. & full (mod. KIM only)

16 Gauge: 28½"—mod. & full.
26" —imp. cyl. & mod.

20 Gauge: 26" —mod. & full or imp. cyl. & mod.

Mod. KIM EA

The KIM EA is the third of the new KIM series. In appearance this Model is identical with the Models KIM and KIM E, except that it features a single non-selective trigger and the desirable selective automatic ejectors. The SAUER designed and increasingly more popular beavertail fore-end is standard on this Model. Very light in weight and, permitting rapid firing and reloading, this Double is particularly suitable for close cover shooting where speed is of utmost importance. The KIM EA is truly a gun for the discriminating sportsman.

Mod. KIM EA

SPECIFICATIONS:

Gauge: 12 or 20.

Action: Anson & Deeley System with strong under locking lugs; mottled case hardened frame with engraved hunting scenes.

Safety: Automatic slide safety;
Barrels: Made of special highly refined "Bochumer Verein" gun barrel steel.

Stock: Selected European Walnut, oil finished, with pistol grip and cheekpiece and fine checkering on pistol grip and beavertail fore-end; sling swivels. Length of pull: 14½". Drop at comb: approx. 1⅝", at heel: 2⅝".

Weight: 12 Gauge approx. 6½ lbs.

Barrel length and chokes:

12 Gauge: 28½" — mod. & full
26" — imp. cyl. & mod.

20 Gauge: 26" — mod. & full or imp. cyl. & mod.

SPECIAL ENGRAVINGS:

J. P. Sauer offer a wide range of engravings for their Sporting Guns. Information regarding prices and delivery dates will be supplied on request.

Mod. ROYAL

The ROYAL represents the J. P. Sauer De Luxe Double which incorporates all the features one can hope for in a fine Double Barrel Shotgun. Manufactured of high grade materials with great care and to the finest tolerances, this gun will give a life-time of good service. This Model features the time proven Anson & Deeley action with double under locking lugs and Greener cross bolt, split automatic ejectors and automatic slide safety. Additional features include lateral indicators and fine arabesque engravings on the case hardened frame, ivory bead sight and sling swivels. The oil-finished Walnut stock with fine basket weave checkering on pistol grip and fore-end is fitted with white spacers at pistol grip and butt-plate. Well balanced and easy to swing, the ROYAL is recommended as an outstanding gun which offers the greatest value for the price.

The "ROYAL"

SPECIFICATIONS:

Gauge: 12, 16 or 20.

Action: Anson & Deeley with double under locking lugs and Greener cross bolt through extension rib; scalloped, mottled case hardened frame with side clips and lateral indicators; fine arabesque engravings.

Ejectors: Split, automatic;

Safety: Automatic slide safety;

Barrels: Made of special highly refined "Bochumer Verein" gun barrel steel.

Stock: High grade European Walnut with pistol grip and cap, cheek-piece, fine basket weave checkering on pistol grip and patent snap fore-end; white spacers and sling swivels. Length of pull: 14½"; drop at comb; approx. 1⅝", at heel: 2⅝".

Fore-end: Standard or Beavertail.

Weight: From 5⅞ to 6½ lbs.

Barrel length and chokes:

12 Gauge — 28½" — mod. & full

16 Gauge — 28½" — mod. & full

20 Gauge — 26" — mod. & full

INTERCHANGEABLE BARRELS:

Any Model of J. P. Sauer Double Barrel Shotguns of current manufacture may be ordered with an extra set of barrels. Information regarding prices and delivery dates will be supplied on request.

THE "DRILLING"

Mod. 3000

The Drilling with its two shot — and one rifle barrel, originating and developed in Germany, has for nearly two centuries been the all-round gun for the European hunter, and is now steadily gaining in popularity among North American hunters. As constant companion to European Foresters and Game-Keepers, who may need the use of a shotgun or rifle at an instant's notice, the Drilling has become indispensable. To-day the firm of J. P. Sauer, who from the very start have been among the first manufacturers of this type of gun, are shipping their guns to all parts of the world where the Drilling is recognized as the best all-purpose gun. Only the best materials and latest gun manufacturing techniques are used in the production of this gun; the hammering process (swaging) in the manufacture of J. P. Sauer rifle barrels, guarantees superior quality rifling and a higher resistance to corrosion.

The "Drilling"
Mod. 3000

- Split extractor for shot and rifle barrel
- Signal indicators for all three barrels
- Exceptional accuracy
- "Set" front trigger
- Excellent Balance
- Low Weight



Gauges and Calibers:

Shot Barrels: 16 gauge for 2¾" shells

Rifle Barrel

5.6x52R (.22 Savage)	7x65R
6.5x57R	8x57IRS
7x57R	30-06 SPFLD.

AVAILABLE in 7 x 65R or 30-06; all other calibers on special order only.

Mod. ALASKA

In 12 Gauge and 30-06 SPFLD. A beautiful DeLuxe Drilling being built in very small numbers on special request for members of U.S. Armed Forces in Europe. The only Sauer Drilling in 12 gauge and 30-06. It has all the features of the DeLuxe Model with a beaver tail fore-end and fine engravings of North American big game.

Mod. 3000 LUX

This Model represents the J. P. Sauer De Luxe Drilling. Technically the same as the Model 3000, it features rich and tastefully engraved hunting scenes of big game, genuine Buffalo horn trigger guard and a stock of high quality French walnut. In all aspects, it is a De Luxe Gun, one may be proud to own. Available in 16 gauge and 7 x 65R.

Mod. 3000 DUR

The weight of this Model does not exceed 6⅞ lbs. It is built with a DURAL light metal action to meet the wishes of many hunters for a light gun.
Specifications as for Model 3000.

Mod. 3000 ANT

Highest resistance against atmospheric influences and corrosion is offered by barrels of Boehler-Antinit Chrome-Vanadium light steel, which are standard in this Model.
Weight approx. 6½ lbs. (3kg)

Mod. 3000 LUX-DUR-ANT

This Model represents the finest Drilling built by J. P. Sauer & Son. It combines all advantages of the Models LUX, DUR and ANT, and makes a gun of outstanding elegance and performance, which will satisfy the most discriminating hunter.

Specifications:

Barrels: Special highly refined Gun Barrel Steel, modified and full choke, lower barrel rifled by special swaging (hammering process), flat matted rib.

Action: The locks are manufactured of high quality steel and mounted on the trigger plate for all three barrels (Blitz Action), Greener cross bolt through extension of rib and double under locking lugs. Scalloped frame with side clips. Signal indicators for each barrel on top of frame. Rich Arabesque engravings, action grey, case hardened.

Sight: Operating the push button on tang, leaf sight is automatically raised when set for rifle or lowered when set for shotgun.

Set Trigger: The front trigger which operates the rifle mechanism may be "set" by pushing same forward, screw permits finest adjustment.

Safety: Side safety for all three barrels. Top slide safety: when "K" visible, right shot barrel blocked, left shot and rifle barrel free. When "S" visible, only rifle barrel blocked.

Weight: Depending on model from appr. 5⅞ to 6½ lbs. (2.7 kg to 3 kg).

Extractor: All Drilling models have new split extractors for shot and rifle barrel which facilitates removal of the rifle cartridge by extracting it beyond the shot shells.

Barrel length: 23½" (600 mm) or 25½" (650 mm)

Overall length: 40½" (1.030mm) or 42½" (1.080mm)

Stock: Standard length 14" (360 mm)
Drop at comb. 1.6" (40 mm), at heel 2.6" (65 mm)
Cast-off 0.16" and 0.23" (4 and 6 mm)
Selected imported walnut with pistol grip and cap, handcarved cheek-piece; carefully checkered on pistol grip and patent snap fore-end.
Sling swivels, plastic butt plate.

NOTE: On request any Model can be supplied with "D" device, i.e. both shotgun locks are on safe when slide safety shows "K" or with a special SISS safety acting directly on the hammers.

Models 3000 DUR, 3000 ANT and 3000 LUX-DUR-ANT on special order only. Prices and delivery dates on request.

DRILLING Mod. 3000 De Luxe shown with bases for European "Claw Mounts" installed. These mounts may also be installed on the Mod. BBF and are available to fit most American or European scopes. On special order only.

Mod. 3000 De Luxe

Mod. BBF

Shotgun-Rifle Combination

Gauge and Calibers:

Shot barrel: 16 Gauge;

Rifle barrel: .22 Hornet, .22 Savage, 6.5x57R*, 7x57R, 7x65R*, 8x57JRS*, 30-30 Win., and 30-06 Spfld.*

Note:* On special order..



Mod. BBF

The Over/Under Shotgun-Rifle Combination has for many years been among the most popular guns in Europe, particularly in areas where mixed shooting is found. In designing this gun, J. P. Sauer have given the hunter a remarkably light gun, which may be used with the greatest efficiency on big game. Manufactured in accordance with the highest Sauer traditions, the BBF is easy to carry, fast and very accurate. In all, it is an outstanding all purpose gun.

SPECIFICATIONS:

Barrel: Special highly refined "Bochumer Verein" gun barrel steel. Shot barrel full choke; flat, matted rib, bead front sight and folding leaf rear sight

Barrel length: 25½" (650mm).

Action: Famous "BLITZ" action with double Greener cross bolt (Kersten Lock); locks made of high quality steel and mounted on trigger plate for both barrels. Scalloped, case hardened frame with Arabesque engravings; slide safety and "Set" trigger as for Drilling Models.

Stock: Selected Walnut, oil finished, with pistol grip, cap and cheek-piece; fine checkering on pistol grip and patent snap fore-end. Length: 14", drop at comb: 1.6", at heel: 2.6".

Weight: Approx. 6½ lbs. (2.8 kg).

WALTHER

SMALL BORE RIFLES

For decades the WALTHER small bore rifles have taken their place among the foremost products of the arms industry and have won world wide acclaim. Based on the technical attainments of our modern times the WALTHER small bore rifles have been developed, which, with their perfection of design, balance and maximum precision do not merely satisfy the most exacting marksman with results attained but also inspire the man behind the gun with the greatest confidence. The innumerable world wide successes from earliest times to the present day, which have been achieved with WALTHER match rifles bear witness to those facts. In Canada too, the remarkable performance of WALTHER small bore rifles has been recognized resulting in the ever increasing popularity of those fine rifles, which will give the beginner or experienced marksman the dependability and accuracy he requires.

Mod. KKJ SPORTER Cal. .22 LR
with clip magazine for 5 cartridges
(3 shot clips extra)



SPECIFICATIONS:

Cal. .22 LR

Action: Bolt action with twin locking lugs; two stage trigger-pull; silent WALTHER safety, which may be operated only when rifle is cocked and may be loaded or unloaded when on Safe.

Barrel: High grade gun barrel steel. **Length:** 23½".

Sights: Bead front sight and tangent rear sight adjustable from 25 to 125 yds.

NOTE: **Mod. KKJ** is also available on special order with double set trigger and/or full length carbine stock. Prices and delivery dates on request.

Overall length: 42".

Stock: Selected European Walnut with pistol grip and cheekpiece. Fine hand checkering on pistol grip and fore-end; sling swivels.

Weight: Approx. 5¾ lbs.

Walther slide — on scope mounts
for Mod. KKJ and KKJ-H (Hornet) with ring diam. of ⅞" (22mm) or 1.023" (26mm) and lateral adjustment.

Mod. KKJ-H VARMINT RIFLE Cal. .22 Hornet
with clip magazine for 5 cartridges.



SPECIFICATIONS:

Cal.: .22 Hornet

Action: Bolt action with twin locking lugs, two stage trigger-pull silent WALTHER safety, which may be operated only when rifle is cocked.

Barrel: High grade gun barrel steel. **Length:** 23½".

Sights: Bead front sight, tangent rear sight adjustable from 50 to 200 yds.; removable sight protector.

NOTE: **Mod. KKJ-H** is also available on special order with double set trigger and/or full length stock.

Overall length: 42".

Stock: Selected European Walnut with pistol grip and cheekpiece. Fine hand checkering on pistol grip and fore-end; sling swivels.

Weight: Approx. 6¼ lbs.

Mod. KKJ-M (CANADA) Cal. .22 LR
With clip magazine for 5 cartridges (8 shot clip extra)

WALTHER

This Model has specially been designed and manufactured to meet the requirements of the Canadian Target Shooter in the Sporting Class. Apart from the traditional fine workmanship and accuracy, this Model features the Walther Matchmaster micrometer target peep sight and a floating barrel as well as the essential adjustable trigger pull. The new heavier fore-end and the full pistol grip are additional features, which ensure the popularity of this rifle.

SPECIFICATIONS:

Cal: .22 LR
Action: as for mod. KKJ but with adjustable trigger pull.
Barrel: High grade gun barrel steel. **Length** 20.9"
Sights: Matchmaster micrometer target sights adjustable for 50, 100 and 150 yrds.; 4 interchangeable front sight inserts.
Overall Length: 42"
Stock: Semi Monte Carlo made of selected European Walnut with pistol grip and cheek pieces, fine hand checkering on full pistol grip. Semi beavertail fore-end.

FRONT SIGHT INSERTS:
For Mod. KKJ-M

Post Aperture

Mod. KKM "MATCHMASTER" Cal. .22 LR

This single shot rifle is designed for the Marksman who requires a medium weight rifle with top accuracy. With adjustable Matchmaster micrometer target sights, the new adjustable Match trigger and the improved Olympia style stock, this rifle offers the greatest value in low price target rifles. Supplied with 4 interchangeable front sight inserts.

SPECIFICATIONS:

Cal. .22 LR

Action: Bolt action with twin locking lugs. New adjustable match trigger and wing type safety.

Barrel: High grade special gun barrel steel. **Length:** 25.6 inches

Sights: Tunnel front sight with interchangeable Post and 3 aperture inserts. The latest micrometer receiver sight with precision adjustment for 50, 100 and 150 yards.

Stock: Improved Olympia style Walnut stock with cheekpiece and recessed pistol grip; dove-tailed rubber butt plate for interchange with hook-plate; checkering on pistol grip and fore-end; adjustable front sling swivel.
Overall length: 44".
Weight: approx. 10 lbs.

ACCESSORIES FOR WALTHER SMALL BORE RIFLES



HENSOLDT "OPTIC" RECEIVER SIGHT

Developed to give the target shooter a clear definition of front sight and target. With 1.4 magnification and adjustable for optical correction from −4 to +5, the Optics peep sight disk has 3 aperture sizes with 3 corresponding yellow filters. The soft rubber eye piece serves to eliminate side light.



Micrometer peep sight, adjustable for 50, 100 and 150 yds, for Mods. KKJ-M, KKM-Matchmaster and KKM-Match.



Removable open micrometer rear sight for Mod. KKM-Matchmaster with 3 interchangeable leaf inserts.



Rubber eye disc, also with Zeiss 30% Uropal or 50% Umbral filters.

Adjustable aperture for Walther micrometer peep sight.



Front sight disc; disc diam. 1⅜", tube diam. ½", length 1½".



Walther rifle sling

Front sight inserts for Mod. KKM-MATCH and Mod. KKM MATCHMASTER

Post — 2.2, 2.4 or 2.6 mm
Bead — 1.5, 1.75 or 2 mm
Apertures — from 2 to 3.2 mm progressive increases of 0.2 mm; from 3.2 to 4 mm progressive increases of 0.1 mm.

Adjustable sling attachment and hand stop for Mods. KKM-Matchmaster and KKM-Match.

PRESENTING...
A NEW STAR
IN POWER...
PERFORMANCE...
PERFECTION...
THE ALL-NEW
Weatherby
MARK V
TRULY...TOMORROW'S RIFLE TODAY!

ANOTHER WEATHERBY FIRST...

THE FABULOUS ALL-NEW

THE MOST ACCURATE, NOW BRINGS YOU THE

—PLUS OTHER NEW FEATURES MAKING THE MARK V UNSURPASSED IN BEAUTY, BALANCE, HANDLING QUALITIES AND WORKMANSHIP

Acknowledged leader in its field—the new Weatherby Magnum, based on principles of ultra-high velocity, stands alone for its long range killing power, flat trajectory and super accuracy.

And now comes the greatest Weatherby Magnum of all—the fabulous new Mark V. Here is truly a new star in the rifle world...a masterpiece of streamline beauty and precision... incorporating a new bolt action so revolutionary in design and construction that it sets new standards of safety and protection never before possible.

This new Weatherby Mark V is chambered for all the famous Weatherby ultra-high velocity Magnum cartridges—the .257, .270, 7mm, .300, .378 and the new .460 Weatherby Magnum.

Before you buy any rifle at any price—whether for long-range varmint shooting near home or big-game hunting in any part of the world—be sure to inspect the new Weatherby Mark V at your dealer's now.

In all ways...here is truly tomorrow's rifle *today!*

Weatherby

MARK V

MOST POWERFUL RIFLE IN THE WORLD TODAY

WORLD'S STRONGEST ACTION!

John B. Lagarde of Anniston, Alabama with his record tiger shot in India with his .300 Weatherby Magnum, using the 180 grain soft point bullet.

Roy Rogers, famous cowboy star, with his Kodiak bear taken on recent Alaskan hunt. Shot at 200 yards with his .300 Weatherby Magnum using 150 gr. soft point bullet.

Bobby M. Burns of Wichita Falls, Texas with prize sable antelope shot in Africa with his .300 Weatherby Magnum, using the 180 grain Hornady bullet.

THE "INSIDE STORY" OF THE WOR

GREATEST ADVANCE IN BOLT ACTION DESIGN IN YEARS...EXCLUSIVE WITH WEATHERBY

Not just an "improvement," but a revolutionary new advance in bolt action design and construction! That's why the new Weatherby Mark V can literally be called the *safest* rifle in the world today! Here for the first time is a bolt action that can safely withstand breech pressures never before possible in any rifle. In actual pressure tests the new Weatherby Mark V action withstood pressures far in excess of the ability of the gauges to record them...bringing an entirely new concept of power and safety for hunters and target shooters everywhere.



New Streamline Beauty

Stocks on the new Weatherby Mark V rifles are made of the finest woods available, beautifully balanced and handsomely hand checkered by skilled artists. Finish is Weatherby's exclusive 10-coat process employing a special resin-base finish that is resistant to moisture and oils —even alcohol or paint thinner will not mar this beautiful surface.

Every rifle equipped with a Weatherby recoil pad, ebony or rosewood pistol grip cap with ivory diamond inlay and white line spacers, and distinctive 45° fore end tip...originally introduced by Weatherby.



THE NEW WEATHERBY MARK V ACTION PARTIALLY OPENED

A—NEW! Nine Locking Lugs arranged in sets of three, lock securely into the receiver, giving extra strength and safety, allowing only a 54° uplift of the bolt. Conventional actions must rotate a full 90°. The nine locking lugs give 50% more shearing area than the conventional two. Bolt lugs are of same diameter as bolt itself, making loading smooth, sure and positive...eliminating the familiar "looseness" found in conventional bolt actions that may cause binding or jamming of the bolt.

B—NEW! Streamlined Bolt Sleeve and Cocking Piece Indicator enhances streamlined appearance of rifle, as well as giving added protection against accidental flow-back of gases resulting from a pierced or punctured primer.

C—NEW! Matted Receiver. Attractive mat finish reduces possible source of glare for better visibility.

D—NEW! Silent, Convenient Thumb Safety located on right hand side for easy, positive use.

E—NEW! Checkered Bolt Handle. Checkered top and bottom for appearance and sure grip.

F—NEW! Light Weight. Due to advances in modern metallurgy, weight of action has been held to desirable minimum. A complete Mark V rifle weighs approximately 7¼ pounds without sights.

G—Receiver Drilled and Tapped for all popular scope mounts and receiver sights.

SPECIFICATIONS—Deluxe Rifles

Stocks: American black walnut, individually hand-bedded to assure precision accuracy. Quick detachable sling swivels. Basket weave checkering. Stocks are Monte Carlo style with cheek piece, especially designed for both scope and iron sighted rifles.

Barrels: 24 or 26 inches in length, depending on model and caliber. 12-inch twist (one turn of the rifling for each 12 inches of length) in .257, .270, 7mm, .300 and .378 W. M. calibers. We use a 16-inch twist in the .460 W.M. All Weatherby barrels have six rifling grooves, produced by the new Hammer-Forged method. This new rifling process gives the Weatherby Mark V the most accurate, stress-free, and stable barrel made today.

Range Tested: Every Weatherby rifle is assembled by experts, then tested over the Weatherby 100-yard indoor rifle range for functioning, velocities and accuracy.

Weight: Approximately 7¼ pounds, without sights, except .378 and .460 W.M.

Price: Deluxe models in .257, .270, 7mm and .300 Weatherby Magnum calibers—$265.00.
Deluxe model .378 Weatherby Magnum—$295.00.
Left hand models—$30.00 additional. Super deluxe model .460 Weatherby Magnum, equipped with California mesquite wood stock and integral muzzle brake, right or left hand models—$495.00.
Prices do not include sights.

LD'S STRONGEST ACTION



CUT-AWAY VIEW SHOWING CARTRIDGE CASE COMPLETELY ENCLOSED WITHIN BOLT FACE AND BOLT ENCLOSED WITHIN BARREL

As every rifleman knows, the weakest part of any firearm is the cartridge case itself. In conventional bolt actions a portion of the rear of the cartridge case known as the case head is left exposed. Under excessive pressures the case has a tendency to rupture at this point, causing damage to the rifle and probable injury to the shooter.

With the new Weatherby Mark V, such a source of possible danger is eliminated entirely. There is literally no way for the case head to rupture. As seen in the above cut-away view, the bolt face is recessed to fully enclose the cartridge case head. In like manner, the breech end of the barrel is also recessed to accept and enclose that part of the bolt face which houses the cartridge case head.

The result is a complete enclosure of cartridge case head within bolt *and* barrel, both of which are in turn confined within an extremely strong receiver ring. No other rifle in the world gives you such absolute protection.



NEW! Precision trigger mechanism. Fully adjustable with a very clean, crisp pull. Assembly incorporates the safety, bolt lock, bolt stop and bolt release in addition to the trigger mechanism. All parts confined within the stock except thumb safety button.

NEW! Three gas escape ports provide still greater safety. Protect against flow-back of gases in event of a pierced primer or any similar occurrence. Any gases that might flow backward in such an event are harmlessly released through three gas escape ports located on side of bolt. Any gases that might possibly continue back through bolt sleeve are deflected down and away from the shooter by the one-piece construction of the bolt sleeve.

NEW! Hinged floor plate for quick and easy removal of loaded cartridges from magazine. Just press release latch.

"Torture-Testing" the New Weatherby Mark V

In addition to the standard pressure tests, the new Weatherby action was subjected to almost unbelievable punishment. In one of these "torture-tests," a 220 grain .30 caliber bullet was inserted in the bore of one of the new Weatherby .300 Magnums directly in front of a fully loaded round of .300 Magnum ammunition.

The rifle was then discharged and both bullets shot out of the barrel —with resulting astronomical pressures. The cartridge case ejected with no appreciable expansion. There was absolutely no damage to the rifle, action or chamber. The new Weatherby Mark V is manufactured of the strongest alloy steels known to modern metallurgical science and is proof-tested to withstand pressures far in excess of any rifle ever made before.

NEW "HAMMER-FORGED" BARRELS

. . . ANOTHER WEATHERBY FIRST!

Exclusive new rifling process produces a glass-smooth bore of extreme hardness . . . results in greater accuracy and longer barrel life

No rifle can be expected to shoot better than its barrel. That's why Hammer-Forged* Rifling represents another great stride forward in firearms manufacture. It is another example of our constant search for improved materials and advanced techniques in order to bring you the finest, most accurate rifles possible to produce.

The barrel blank, made from SAE 4140 chrome-moly alloy steel especially processed and heat treated, is carefully drilled, reamed, and polished. A rifled mandrel is inserted in the smooth bore of the barrel. Then a half million pounds of squeezing action is applied to the barrel, "forging" the metal around the mandrel. This produces a rifled bore completely free of any reaming or rifling marks.

The tremendous pressures actually harden the inside of the bore and produce a glass-smooth surface that results in greater accuracy and longer shooting life for the barrel.

With this new process tolerance is held within .0005 (five ten-thousandths) inch from breech to muzzle. Accuracy problems caused by conventional rifling process are eliminated.

*Copyright Weatherby, Inc.



Half-million pounds pressure exerted by this remarkable cold swaging machine "forges" the rifling into the Weatherby barrels to produce a harder, smoother bore of superior accuracy.



Every Weatherby rifle is range tested for accuracy at 100 yards before being packed for shipment. Then the test target showing the actual group obtained is packed with the rifle. A Weatherby must shoot less than 1½ inch group at 100 yards or it never leaves our factory.

Is Extreme Velocity the Only Reason for Owning A Weatherby Magnum?

Flat trajectory, long range superior killing power—these are basic advantages owners expect from their Weatherby rifle. Weatherby Magnums have led the way in demonstrating the superiority of light-weight bullets traveling at ultra-high speeds.

However, satisfaction of owning a Weatherby is not confined to performance alone. Everything about a Weatherby—its design, its safety, its features—make it a most satisfying personal possession.

Weatherby is as different from ordinary rifles as advance design and engineering skill can possibly make it. It is a genuinely graceful rifle—every line is functional, every feature has meaning and purpose.

Why It Is Impossible To "Mass Produce" A Weatherby Mark V

Whenever we're asked why we don't "mass produce" Weatherby rifles and lower their cost, we invariably answer, "If we did, the result wouldn't be a Weatherby!"

It's the extra care of skilled gunmakers . . . the frequent inspections . . . the many hand operations . . . the patient willingness to produce only the finest . . . that have won for Weatherby rifles a unique place in the hearts of their owners.

WEATHERBY IMPERIAL SCOPES

THE GREATEST SCOPE IMPROVEMENT IN 30 YEARS

For the first time a scope has been designed by a famous big game hunter and bench-rest shooter who knows from experience exactly what shooters want most in a scope. The result is the Weatherby Imperial... reliable, rugged, moisture-proof and fog-proof. No other scope gives you so many features. No other scope manufacturer offers a *lifetime guarantee* against all defects. The optical perfection of Weatherby Imperial scopes gives you unmatched luminosity or light gathering power...brighter, clearer images than ever before.



Only the Weatherby Imperial Has This Dual-Dial Feature

Combined Windage and Elevation Adjustment Under One Airtight Cap. This new Weatherby Dual Dial is the most advanced sighting featured in the scope world today! To make windage adjustment, use any small coin. Turn inner ring as fine as ⅛" on 1" dial calibrations. To adjust for elevation, just turn outer ring in ¼" clicks on 1" dial calibrations.

Finger Tip Binocular Type Focusing Adjustment. No longer do you have to adjust focus by turning the ocular piece. On the Weatherby Imperial, focusing is right on top. It works just like the elevation adjustment, with markings as on your binoculars. And once you set it, it stays that way.



The Weatherby Imperial 2¾ Power— 90 Luminosity

Preferred by big game hunters...widest field of view of any scope! 47½ feet at 100 yards! Tremendous light-gathering power...clearer, brighter image. Ruggedly built to stand the heaviest recoil and roughest handling. $69.50



The Weatherby Imperial 4 Power— 81 Luminosity

Finest all-around scope ever built for big game and varmint shooting. Unmatched resolving power. Brighter, clearer image, even in bad weather. Coated lens for top contrast. 33-foot field of view at 100 yards. If you hunt antelope, sheep, moose, even woodchuck, this scope is for you. $79.50



The Weatherby Imperial 6 Power— 62 Luminosity

Unsurpassed for varmint and target shooting and for long-range big game hunting. Extreme light gathering power. Shockproof. Featherweight. Where game must be taken at long range, this scope makes identification and sighting more accurate, hitting your target easier. $89.50



The Weatherby Imperial 2X to 7X Variable

An intermediate Variable scope from 2X to 7X. Ideal for target and every hunting condition. The same overall size as the popular 4X. This has proven to be one of the most popular Variable scopes of all time. $99.50



The Weatherby Imperial 2¾X to 10X Variable

Greatest Variable scope ever made...for every kind of shooting from target to long-range big game hunting. Has the same ocular and objective diameter as that of our 6X Imperial. The changing of power is accomplished by merely turning the ocular piece. Truly an all-purpose scope with tremendous light-gathering power. $109.50

SPECIFICATIONS—WEATHERBY IMPERIAL SCOPES

FEATURES	2¾x90	4x81	6x62	2X to 7X Variable	2¾X to 10X Variable
Field of view (100 yds.)	47′ 6″	33′	21′ 7″	From 48′ to 17′9″	From 37′ to 14′6″
Tube Diameter	1″	1″	1″	1″	1″
Diameter of eyepiece	1.400″	1.400″	1.400″	1.415″	1.415″
Clear aperture of objective lens	1.043″	1.417″	1.862″	1.417″	1.862″
Diameter of exit pupil	9.48mm	9mm	7.87mm	18mm to 5.2mm	17.2mm to 4.7mm
Relative Brightness	90	81	62	324 to 27	296 to 22
Power	2¾X	4X	6X	2X to 7X	2¾X to 10X
Eye relief	3¼″ to 5″	3¼″ to 4½″	3¼″ to 4½″	4.33″ to 3.150″	4½″ to 3½″
Weight	8½ oz.	9¾ oz.	11¾ oz.	12 oz.	14⅛ oz.
Length	10⅜″	11⅛″	12½″	11-3/16″	12½″
Elevation Dial Graduation	¼″ 1″ marks	¼″ 1″ marks	¼″ 1″ marks	¼″ 1″ marks	¼″ 1″ marks
Windage Dial Graduation	to ⅛″ 1″ marks	to ⅛″ 1″ marks	to ⅛″ 1″ marks	to ⅛″ 1″ marks	to ⅛″ 1″ marks

LIFETIME SERVICE *Guarantee*

Your Weatherby Imperial Scope is unconditionally guaranteed to give you a lifetime of perfect service.

Weatherby Imperial Scopes will fit practically all standard mounts.

CHOICE OF FOUR RETICULES

Cross Hair

Tapered Post and Cross Hair

Lee Dot ($12.50 extra)

Felver Peep ($10.50 extra)

MARK V NOW AVAILABLE WITH
LEFT-HAND ACTION

New left-hand models are true "mirror-versions" of the Weatherby Mark V. Action, stock and all details are specifically designed for the left-hand shooter.

The new left-hand Mark V is available in all Weatherby Magnum Calibers. Only $30.00 additional.

NEW! COMPLETELY REVISED 11th EDITION!
"TOMORROW'S RIFLES TODAY"

Send for your copy now...if your nearest Weatherby dealer does not have one available.

This beautiful 8½" x 11" book contains a great deal of valuable information for every hunter and gun lover, including complete detailed information and specifications on the new Weatherby Mark V Rifle; ballistical data including drop tests up to 600 yards for all Weatherby calibers; photographs and stories of game taken throughout the world by people from all walks of life; true African hunting stories, and a host of other interesting information. 148 profusely illustrated pages...a MUST for every sportsman! Only $2.00 postpaid.



AUTHORIZED WEATHERBY DEALER

Weatherby Inc.

2781 Firestone Blvd., South Gate, California (Metropolitan Los Angeles)

WALTHER INTERNATIONAL MATCH RIFLE Mod. KKM - MATCH

This International Model with many Championships to its credit is used throughout the world in International Matches and represents the finest in small bore Match Rifles. Precision built with specially selected barrel of high grade special gun barrel steel, the KKM-MATCH features the new adjustable match trigger, adjustable micrometer target sights and the Olympic stock with adjustable hook plate, palm rest and hand rest. Of unsurpassed achievement, this rifle offers the experienced Marksman all the refinements, which are prerequisites for competition shooting. Each rifle is supplied with its original test-target.

Mod. KKM-MATCH

SPECIFICATIONS

Cal. .22 LR

Action: Precise and smooth single shot action with twin locking lugs; new adjustable Match trigger including lateral trigger adjustment and wing type safety.

Barrel: Heavy floating barrel made of high grade *special gun barrel steel and tested for extreme* accuracy. Length: Approx. 27.9".

Sights: Tunnel front sight with eight interchangeable Post and Aperture inserts. Latest micrometer receiver sight with precision adjustment for 50, 100 and 150 yds. Distance between sights: 35.4".

Stock: Specially designed heavy Walnut Match stock with thumb hole through stock for perfect grip. Horizontally and laterally adjustable hook plate; palm-rest and hand-rest adjustable for angle and elevation while the swivel-rail permits horizontal adjustment of hand-rest and sling swivel.

Overall length: 45.6".

Weight: Approx. 14 lbs.

Note: Weight increase on special order.

KRICO SMALL BORE SPORTING RIFLES

Designed and manufactured by Kriegeskorte, one of West Germany's leading small arms makers, the Krico Rifles are steadily gaining in popularity among Canadian Shooters. Produced by experienced craftsmen in accordance with the latest rifle manufacturing techniques and using the best of materials, we can highly recommend the Krico as one of the finest and most accurate rifles in its field.

Mod. 250 AUTO. Cal. .22 LR
with 5 shot clip magazine
(10 or 15 shot clips extra)

The Krico .22 Automatic is an excellent all-round small bore rifle. Light, yet sturdy, it features a smooth and shock-proof action of simple construction, which may be dismantled without the assistance of any tools. The cocking lever, incorporating the unique safety which acts directly on the firing pin and locks the bolt at the same time, is only to be found on the Krico Automatic.

SPECIFICATIONS:

Barrel: Precision rifled; length 22½".

Action: Semi-Automatic with Krico cocking lever safety, which blocks the firing pin simultaneously locking the bolt when turned to safe. Receiver dovetailed for scope mounts.

Sights: Hooded bead front sight on ramp with fixed rear sight for 50 yds. and 2 folding leaf sights for 75 and 100 yds.

Stock: European Walnut Stock with pistol grip and plastic butt plate; length of pull 14".

Overall Length: 41¼".

Weight: Approx. 5½ lbs.



Mod. 410 VARMINT RIFLE
Cal. .222 Rem.
with 4 shot clip magazine

The latest addition to the fine line of Krico Rifles is this Varminter in the popular .222 Rem. caliber. The specially designed Mauser type short action with the readily accessible positive side safety and the beautifully shaped and well finished stock of selected European Walnut make this an outstanding rifle with exceptional accuracy.

SPECIFICATIONS:

Barrel: Made of special gun barrel steel with precision rifling for utmost accuracy. Length: 25½".

Action: Short bolt action, Mauser type, with twin frontal locking lugs and special wide extractor for quick and faultless repeating; right hand thumb safety locking firing pin and bolt. Receiver dovetailed for Krico slide-on scope mounts. Single or double set trigger.

Sights: Silver bead ramp front sight with removable sight protector; 100 yd. rear sight dovetailed on base with two additional folding leaf sights for 150 and 200 yds.

Stock: Selected European Walnut with cheek piece, pistol grip and cap. Fine hand checkering on pistol grip and fore-end; white line spacers and sling swivels. Length of pull: 13¾".

Weight: Approx. 6¼ lbs.



Krisco slide-on scope mounts with lateral adjustment for Mod. 410 with split rings of 1" or 1.023" (26mm) diameter or dovetailed for Rail scopes.

THE WORLD'S MOST SUCCESSFUL AIR RIFLES!

WALTHER

The new WALTHER Air Rifles are assuredly a virtually incomparable example of hitherto unequalled accuracy. Their development has not merely kept in step with the technical attainments of our present day but has surpassed all expectations.

The successes, which have been attained with these sporting guns during the last few years have proved the WALTHER air rifles to be outstanding in their performance. Be it for the beginner, the small varmint hunter or the experienced Marksman, there is a WALTHER air rifle to fill every need.



Mod. LG 51 Z

Cal. .177

SPECIFICATIONS:

Barrel: Precision rifled.

Action: Break-down action with adjustable two-stage trigger pull and automatic trigger lock preventing barrel from snapping shut when rifle is opened.

Sights: Post Front Sight on ramp and open adjustable Rear Sight mounted at rear of break-down barrel.

Stock: Full size beech stock with modified pistol grip and plastic butt plate. Length of pull: 13½".

Overall length: 41⅜" **Weight:** Approx. 5½ lbs.



Mod. LG 53 ZD

Cal. .177

SPECIFICATIONS:

In all respects similar to Mod. LG-51-Z except that this Model features a hooded Ramp Front Sight with 3 interchangeable inserts. (Post, Tapered Post and Bead) and a slide on Micrometer Peep Sight with click adjustment for windage and elevation. The rear of barrel is drilled for installation of open adjustable rear sight; checkering on pistol grip. **Weight:** Approx. 5¾ lbs. Open rear sight extra.



Mod. LG 55 M MASTER AIR RIFLE

Cal. .177

SPECIFICATIONS:

Barrel: Precision rifled for guaranteed excellent performance.

Action: Similar to Mod. LG-51-Z and LG-53-ZD except that this Model features the finely adjustable Match Trigger with extremely soft first and second stage trigger pull.

Sights: Tunnel front sight with 3 interchangeable inserts: Post, Bead and Aperture. Slide-on Micrometer Receiver Sight for finest windage and elevation adjustments.

Stock: Heavy Olympia Stock with cheekpiece and finely checkered pistol grip; target type rubber butt plate.

Overall length: Approx. 41". **Weight:** Approx. 9 lbs.

Front Sight Inserts for Mod. LG-53-ZD

Post **Tapered Post** **Bead**



Adjustable aperture sight with rubber eye cup

Front Sight Inserts for Mod. LG-55-M

Post **Bead** **Aperture**

WALTHER

Auto Pistol P 38

Cal. 9 mm Luger

The WALTHER Police Pistols Mod. PP and PPK have established themselves as the World's safest and most dependable hand guns by virtue of their unique construction.

The absolute faith in these pistols induced specialists to demand a pistol of a similarly recognized and approved construction suitable for the effective 9 mm Luger cartridge, yet light in weight. The result was the Walther P-38, which combines a fantastic weight of little more than 27 ounces with all the advantages of a modern hand gun — absolute safety, instantaneous readiness, and easy handling — which allows for the use of a more potent cartridge. This pistol stands without rival.

Mod. P-38

SPECIFICATIONS:

Cal.	9 mm Luger
Magazine Capacity	8 Cartridges
Length of Barrel	4 15/16" (125 mm)
Height of Pistol	5 3/8" (136 mm)
Overall Length	8 7/16" (214 mm)
Weight, only	27 1/2 oz. (780 g)

Note: The P-38 is supplied with one Spare magazine, Cleaning Rod and Test Target.

The P-38 has an external hammer. The combination of a perfect action construction as made evident in the Walther self-loading pistols with external hammer and the constant readiness of a revolver makes the enormous advantages of these weapons abundantly manifest. The P-38 represents a double-action, locked breech, semi-automatic pistol. The hammer is connected to a tension trigger which has a distinct pressure point. The P-38, like the Models PP and PPK, may be fired by merely pulling the trigger and may be carried quite safely loaded yet uncocked.

P-38 in De Luxe case; wooden box covered with fine synthetic material and velvet lined. On special order.



P-38 Holster made of solid harness leather; dull black outside finish, smooth inside; external magazine pocket and 2 loops for belt attachment.

WALTHER AUTOMATIC PISTOLS Models PP, PPK and SPORT

Manufactured by Manurhin in accordance with the traditional high standards of Walther workmanship and precision, the Walther Police Pistols are famous throughout the world for their unique construction which guarantees their absolute safety, their instant readiness and high precision performance.

Designed for Self-protection, these Double-Action Pistols can be carried without any danger loaded and uncocked yet ready for instantaneous use. Due to their safety, reliability and instant readiness the Walther self-loading Pistols are considered to be the best in the World; it is not surprising therefore that the German Security Authorities and many similar Organizations in many countries have adopted this Pistol as their official weapon.

Mod. PP

Mod. PPK

SPECIFICATIONS:	MODEL "PP"			MODEL "PPK"		
Caliber	**.22 LR**	**.32**	**.380**	**.22 LR**	**.32**	**.380**
Length of barrel ..... inches	3 7/8	3 7/8	3 7/8	3 1/4	3 1/4	3 1/4
Magazine capacity ..... cartridges	10	8	7	9	7	6
Overall length of pistol ..... inches	6 3/4	6 3/4	6 3/4	6 1/8	6 1/8	6 1/8
Height ..... inches	4 1/4	4 1/4	4 1/4	4	4	4
Width, at slide ..... inches	7/8	7/8	7/8	7/8	7/8	7/8
at grip ..... inches	1 1/4	1 1/4	1 1/4	1	1	1
Net Weight, with steel frame ..... ounces	23 1/4	24 1/4	24 1/4	20	20 1/2	20 1/2
with Dural frame ..... ounces	—	—	—	16	17 1/4	—



A. B. C.

Magazines for Mods. PP & PPK.

a) Standard; b) Magazine with finger rest; c) Magazine with grip extension.

Havana brown leather Pistol Holsters with external magazine pocket for Mods. PP and PPK.



Insert barrel (Conversion Unit) for Mod. P 38 Cal. 9mm Luger and Mod. PP & PPK Cal. .32 for indoor ammunition M20 Cal. 4mm, with 3 steel cartridges or a single shot loader.

Mod. SPORT Cal. .22 LR
with 6 or 8⅜" barrel

Mod. SPORT "C"
with 8⅜" barrel only

The Mod. SPORT has been specially designed as an all-round .22 Cal. Automatic, with all the features of the famous Models PP and PPK. Of negligible weight and with adjustable rear sights it is ideal for small game or varmint shooting and has proven a very useful trap-line side arm.

The Mod. SPORT-C features a specially soft "Single Action" for Target Shooting with a trigger pull of approx. 44 ozs. The rigid, precise barrel and the wide target type front sight with adjustable rear sight, and thumb rest grips make groups possible which could formerly only be obtained with Competition Pistols. Further improvements may be obtained by the attachment of a counterweight and/or muzzle brake. The grips on both Models SPORT are made of brown checkered Plastic with thumb rest. WOODEN GRIPS EXTRA.



Mod. Sport
with 8⅜" barrel

SPECIFICATIONS:

Length of barrel	8⅜"	6"
Magazine capacity ..... cartridges	10	10
Overall length	11⅛"	9⅛"
Height of pistol	5"	5"
Net weight of pistol ..... ounzes	26	25



Counterweight and Muzzle-Brake

Fancy imitation leather Pistol Cases, lined, for Mods. PP, PPK and SPORT.



Havana brown leather holster with external magazine pocket for Mod. Sport with 6" or 8" barrel.

HAEMMERLI - WALTHER

Hämmerli — Gunsmith of the world's best shooters

"OLYMPIA" RAPID-FIRE PISTOL — THE WEAPON OF THE CHAMPIONS

This remarkable pistol was first produced shortly before the Olympic Games in 1952. Its clean-cut lines and practical shape, unique adjustable grip, and above all its superb finish, prove quality and bear witness to its precision workmanship. Only the finest materials are used in the manufacture of Haemmerli Weapons, which are made singly by careful manual assembly and thus assure the world-famed Haemmerli tradition.

The greatest successes with the "Haemmerli Olympia" were obtained at the following International Competitions:

1954 World Championships, Caracas
1955 Pan American Games, Mexico
1956 Olympic Games, Melbourne
1957 Match of the Latin Nations, Turin
1958 Asiatic Games, Tokyo
1959 Central American Games, Caracas

American Model 205

The USA Mod. 205, shown here, is in all respects similar to the Mod. 200 except that it has been specially adapted to the American requirements by the following additional features:

1. The built-in slide-stop automatically keeps the breech open after the last round has been fired.
2. Micrometer rear sight adjustable both laterally and vertically.
3. Adjustable grips anatomically adapted to the hand.

SPECIFICATIONS:

Cal. .22 LR only	**Mod. 205**
Weight without accessories (weight)	2 lbs. 3 oz.
Front weight	8 oz.
Rear weight	7 oz.
Total weight	3 lbs. 2 oz.
Overall length	12½ in.
Barrel:	
Length of barrel	7½ in.
Number of grooves	6
Length of twist per turn	17 7/10 in.
Height of barrel with accessories (see Art. 16 f, UIT regulations)	1½ in.
Sight radius	9½ in.
Height of pistol (see Art. 16 g, UIT regulations)	6 1/10 in.
Width of pistol (see Art. 16 g, UIT regulations)	3¾ in.
Number of cartridges in magazine	8
Micrometer rear sight with square notch, vertically and laterally adjustable	1/10 in. width
Correction per click	1 click = 1/5 in. at 25 yds.
Rectangular front sight	1/8 in.

HAEMMERLI MATCH PISTOL —

THE PISTOL OF WORLD CHAMPIONS AND OLYMPIC WINNERS

This pistol had not been developed until about 1930 and, although only a few pistols were then manufactured, they won the acclaim of International Marksmen. Thanks to its unsurpassed precision, this pistol soon became world renowned.

Today there is probably no other weapon which has scored such an unbroken series of victories in the world's leading Championships as the famous Haemmerli Match Pistol also known as the Free Pistol.
The following International Championships have been won with this outstanding and successful pistol.

1947 World Championships, Stockholm
1948 Olympic Games, London
1949 World Championships, Buenos Aires
1950 Fourth Pan American Games, Guatemala
1951 Mediterranean Games, Cairo
1952 World Championships, Oslo
1952 Olympic Games, Helsinki
1954 World Championships, Caracas
1955 Pan American Matches, Mexico-City
1955 Mediterranean Games, Barcelona
1956 Olympic Games, Melbourne
1957 International Match Week, Lucerne

Mod. 101



Mod. 103

HAEMMERLI MATCH PISTOLS

Mod. 101:
Round barrel, fine matte finish, no light reflections.

Mod. 102:
Round barrel, highly blued and polished.

Mod. 103:
(De Luxe) Elegant, octagonal barrel beautifully blued and highly polished, grip plates made from selected French Walnut — the QUEEN of pistols.

SPECIFICATIONS:

Caliber: .22 LR

Trigger: 5-fold transmissioned set-trigger, finely adjustable (within fractions of an ounce), with adjusting and trigger-finger touch screw.

Barrel: made from specially treated gun-barrel steel, drawn and polished to highest precision; length: 11½ inches (290 mm) twist: *17½ inches per turn, 6 grooves.*

Sights: micrometer rear-sight with click-adjustment for windage and elevation; precisely adjustable (¼ inch per click at 50 yards); leaf with square notch; post front sight of 1/10 or 1/8 inch width (interchangeable). Distance between sights: 15 inches.

Weight: round-barrel models 101 and 102 approx. 3 lbs, 1 oz; deluxe model 103 with octagonal barrel approx. 2 lbs. 14 oz.

Grips: made of selected walnut, well shaped and adapted to the average hand; vertically adjustable hand-plate; special custom finish.

Special features on the new series of Haemmerli Match Pistols include:

1. Round, heavy Haemmerli precision barrel, matte-finished to reduce glare.
2. Phenomenal firing precision; grooves and chamber dimensions made to fit the new shapes and tolerances of bullets and cases.
3. Better weight distribution, centre of gravity shifted forward (closer to trigger touch-screw).
4. Fast, flash-like ignition, minimum recoil.
5. More durable, improved main spring.
6. Micrometer rear-sight easily removable by loosening one screw.
7. Stronger hair trigger cocking lever.

Note: Models 102 and 103 on special order only.

HY HUNTER'S *Frontier Six-Shooters* and *Derringers*

FRONTIER SIX-SHOOTER REVOLVER

Cal. .22 LR

The present day Hy Hunter Frontier Six-Shooter is an exact copy of the original gun, and all parts, with the exception of the hammer, are interchangeable with the Colt Single Action Army Revolver.

All working parts on these Single Action hand guns are made of finest steel and the barrel is rifled with the old fashioned lands and grooves. In order, however, to prevent misfires and the firing pins from breaking, the firing pins on these Frontier Models have been installed in rear of the action.

The Revolver has a satin blue finish and grips of special styrene plastic. Manufactured to the most exact specifications by one of the leading European gun manufacturers, this Revolver offers a fine copy of the famous Frontier Six-Shooters.

SPECIFICATIONS

Single Action
Length of barrel 5½"
Overall length 10⅞"
Weight: 40 ozs.

FRONTIER DERRINGER PISTOLS



The new Double Barrel Derringer is almost an exact copy of the old Remington Cal. .41 over-under Derringer.

Made of finest materials this Derringer shows constructional improvements over the old Models in a reinforced top hinge eliminating the problem of top strap from breaking, and a modern steel coil spring which will not lose its temper. The trigger pull is easy with a crisp action and no back lash; single ejector and separate firing pins for each barrel.

Owing to its special characteristics, including the light weight and easy concealment, the Derringer in Cal. .38 Special is an effective close-range self defence weapon particularly suitable as a second or off-duty gun for law enforcement Officers.

SPECIFICATIONS

Cal. .22 LR or .38 Special, C.F.
Type: Double barrel over under
Ejector: Multiple single stroke
Sights: Fixed
Length of barrel: 3"
Overall length: 4½"
Finish: **Cal.** .22 LR, blued or chrome
Cal. .38 Special, chrome only
Grips: Black or white checkered plastic
Weight: 15 ozs.



Derringer soft leather hide-away holster with spring belt clip.

STARTING PISTOLS

For the Track, Training, or Emergency

Mod. UP-1

WALTHER Mod. UP-1

Without doubt the finest and smoothest operating Automatic Starting Pistol made. Polished and blued to a high gloss finish, this Pistol features a new method magazine removal; by moving the Safety lever to "E" and pulling the trigger, the magazine is pushed back, emerging at the end of the slide without firing a shot.

Cal.: 6mm Blanks or 7mm Flares

Length: 4 1/8". **Weight:** 8 ozs.

Mod. UP-1 De Luxe

In all respects similar to the UP-1 but beautifully finished in chrome and with ivory coloured grip-plates.

Mod. Record A

Mod. RECORD—A

Single shot Starting Pistol with automatic ejector. Owing to its negligible weight this Pistol is especially suitable for camping and signalling on land or on water. Finish: blued or chrome.

Cal.: 6mm Blanks or 9mm Flares

Length: 4". **Weight:** 5 ozs.

Mod. Record B

Mod. RECORD—B

The new 2 shot automatic Starting Pistol with 2 over-under barrels and automatic ejectors. An ideal little "Starter" for the Track, Camping or harmless yet effective Self-Protection. Finish: blued or chrome.

Cal.: 6mm Blanks or 9mm Flares

Length: 4". **Weight:** 6 ozs.

RWS Blank Cartridges Cal. .22
for all 6mm Starting Pistols
100 per Box

EMGE Signal Flares Cal. 7mm and 9mm
in assorted colours for Starting Pistols
10 Flares per Box

THE NEW PECAR RIFLE SCOPES

NITROGEN FILLED AND WITH INTERCHANGEABLE RETICULES

PECAR rifle scopes, long famous throughout the world for top quality, are now offered in a new and improved design. Built to withstand the roughest treatment, 100% shockproof and free of parallax, the Nitrogen processed PECAR scopes are completely protected against dampness and dust and the inner surfaces of the lenses cannot fog up.

The image and its edges are sharp as a pinpoint and free from bothersome colour halo whilst the lens coating guarantees highest image brilliancy and increases light gathering by approximately 30%. The windage and elevation clicks correspond exactly to the values designated for each type.

PECAR scopes are the only rifle scopes in the world provided with the PECAR system of interchangeable reticules, which will fit all PECAR scopes AND without parallax. For prime efficiency this system has been designed with windage, elevation, and reticule all in one single unit, which can be removed and exchanged for a more suitable reticule by simply loosening two small screws. This changing of the reticule does not change the aim — perfect zero every time. Care, however, must be taken to interchange reticules only in a dry and clean place to prevent the Nitrogen from escaping and dust from entering. Each PECAR scope has a lifetime guarantee.

Mod. IS
2¾ x 64

Mod. IIS
4 x 81

Mod. IIIS
6 x 59

NOTE: The 4 and 6 Power scopes are available on special order in Lightweight. (Mods. IIL & IIIL).

1952

SPECIFICATIONS

Model:	Magnification	Intensity of light	Field of view at 110 yds feet	1 click at 110 yds inches	Eyerelief inches	Scope length inches	Diameter of Ocular piece inches	Diameter of Middle tube inches	Diameter of Objective piece inches	Weight ozs
PECAR - IS	2¾ x	64	41	.75	3.15	11.41	1.22	⅞	⅞	9.70
PECAR - IIS	4 x	81	31	.37	3.15	12	1.49	1.023	1.57	12.69
PECAR - IIIS	6 x	59	23	.28	3.15	13.38	1.49	1.023	1.96	14.81

Optical precision and characteristics correspond to actual values within the normal tolerances.

PECAR — Scopes of Quality with Lifetime Guarantee

Interchangeable Pecar reticules

Mod. IVS
8 x 43

Mod. V1-S
Variable
3 to 7x

Mod. V2-S
Variable
4 to 10x



Standard Reticules Nos. 8 and 14
Nos. 3, 15, and 16 on special order and at extra cost.

SPECIFICATIONS

Model:	Magnification	Intensity of light	Field of view at 110 yds feet	1 clik at 110 yds inches	Eyerelief inches	Scope length inches	Diameter of Ocular piece inches	Diameter of Middle tube inches	Diameter of Objective piece inches	Weight ozs
PECAR - IVS	8 x	43	16	.21	3.15	14.96	1.49	1.023	2.20	16.04
PECAR - V1-S	3 x	132	41	.37	3.15	12.79	1.49	1.023	1.57	13.75
	5 x	49	26							
	7 x	25	21							
PECAR - V2-S	4 x	123	31	.28	3.15	13.97	1.49	1.023	1.96	16.04
	6 x	55	24							
	8 x	31	18							
	10 x	20	16							

Optical precision and characteristics correspond to actual values within the normal tolerances.

BUEHLER TELESCOPIC SIGHT MOUNTS

For years Buehler Scope Mounts and equipment have set a standard of excellence that remains unequalled. Sportsmen the world over know they can rely on Buehler Mounts for accuracy, rugged dependability and quality of workmanship. The mounts are as low as construction of the rifle will permit . . . and very light, average 4½ oz. They are machined from high quality steel, beautifully finished and blued to match the finest rifle.

All mount rings are micro-lined (less than .001") with oil resistant synthetic rubber to protect scope, an advantage to be found on no other mount. The oversize heat treated chrome-nickel steel windage screws will not break. Both rings are locking rings with windage adjustment for all rear rings.



Buehler Two-Piece Scope Mount installed on Weatherby Mk.V De-Luxe Rifle.



Buehler Split Rings

The steel spacer at the top of each ring is made of 16 laminations .002 thick which may be peeled off one or more at a time to fit all scopes up to .010 smaller in size than the normal dimensions of the ring.

RIFLE ACTION CHART — MOUNT BASES

Use this code in ordering	2 - Piece Base
MAUSER	
M98 Military, Com. (1.4-1.42 dia.)	98
F.N. F.I. Rifles, M300 and M400	F
BRNO Mauser Round Rec. Ring	H2 ①
BROWNING	
Hi-power Large Ring Rec. Only (All cal. except .243 and .308)	F
COLT 57	F
HIGGINS	
50 & 51 ½" Bridge Hole Spacing	F
51L	H2
HUSQVARNA	
Large Ring 1.4 dia. delux grade	F
HVA crown grade rifles	H2
MARLIN 455	F
REMINGTON	
721, 725 long actions	R
722, 725 short actions	R
SAKO ⑪ MAGNUM F.N. Action	F
SCHULTZ & LARSEN 54, 60, 65	L2
WEATHERBY F.N. ACTIONS	F
Mark V R.H. long action only	R
WINCHESTER M70 Std. ⑤	W
M70 Prewar, M54	W ⑦
M70 Magnum & N.M.	W

FOOTNOTES TO CHART

① If clip lips and hump are removed
⑤ Serial numbers above 66,350.
⑦ Will fit but will not fill up channel in bridge.
⑪ All bases attached to B.S.A. and SAKO actions with screws.



Little Blue Peep Mk. III. Mod. B will fit all Models of Buehler bases.

IMPORTED EUROPEAN Q.D. SCOPE MOUNTS

for scopes with or without rail.

Ring Diam. 1.023" (26mm) or 1.181" (30mm)



Rail Mounts

These quick detachable scope mounts will fit most rifles. Made primarily for easy and low installation of European Rail Scopes, they may also be used for standard scopes. For the installation of scopes with rail, the split rings are replaced by dovetailed mounts which are fitted to the scope rail. Recommended for HENSOLDT and other rail scopes.

PARKER-HALE ROLL OFF TELESCOPIC SIGHT MOUNTS

PARKER-HALE ROLL-OFF scope mounts are the finest value mounts obtainable. Designed to meet the demands of the most discriminating hunter, they will give years of good service. To remove the scope it is merely necessary to loosen the two clamp screws and swing the scope sideways to the right, and off the rifle. The rifle's "zero" will not be altered however many times the scope is removed or replaced. Roll-Off mounts are supplied as complete sets ready for installation.

Chart of Parker-Hale Scope Mounts

	TELESCOPIC SIGHT TUBE DIAMETER			
Rifle Model	**⅞" (22 mm.)**	**1" (25.4 mm.)**	**1.02 (26 mm.)**	**Remarks**
B.S.A. Short, Medium and Long Action	RANS.2	RANS.3	RANS.4	Fits straight on to dovetail on receiver of rifle
BRNO High Power: New Model Old Model	RAHX.2 RAZX.2	RAHX.3 RAZX.3	RAHX.4 RAZX.4	As above, but necessary to drill recoil stop recess
BRNO .22" No. 1 and Hornet	RBH.2	RBH.3	RBH.4	Fits straight on to dovetail on receiver of rifle
BRNO .22" M2	RBHS.2	RBHS.3	RBHS.4	ditto
B.S.A. Models B, C, D and E	RBNS.2 Front Block	RBLS.3 No. 3 Rear	RBLS.4 Block No. 4	Packed as a set with fixing screws
Mauser 98 Military	RBHS.2 Front Block	RBHS.3 No. 3 Rear	RBHS.4 Block No. 9	ditto
FN Mauser	RBNS.2 Front Block	RBLS.3 No. 7 Rear	RBLS.4 Block No. 8	"
FN Mauser American	RBNS.2 Front Block	RBLS.3 No. 12 Rear	RBLS.4 Block No. 13	"
Winchester 70 all cals. except .300" and .375"	RBNS.2 Front Block	RBLS.3 No. 3 Rear	RBLS.4 Block No. 5	"
Winchester 70 Cals. .300" and .375"	RBNS.2 Front Block	RBLS.3 No. 3 Rear	RBLS.4 Block No. 15	"
Remington 721 and 722	RBNS.2 Front Block	RBLS.3 No. 3 Rear	RBLS.4 Block No. 11	"
Remington 740 and 760	RBNS.2 Front Block	RBLS.3 No. 17 Rear	RBLS.4 Block No. 14	"
Husqvarna (High Power)	RBNS.2 Front Block	RBLS.3 No. 12 Rear	RBLS.4 Block No. 16	"
B.S.A. Sportsman	RBHS.2 Front Block	RBHS.3 No. 6 Rear	RBHS.4 Block No. 1	"
B.S.A. Supersport	RBN.2	RBL.3	RBL.4	Fits straight on to dovetail on receiver of rifle
B.S.A. Century	RBN.2 Front Block	RBL.3 No. 1 Rear	RBL.4 Block No. 1	Packed as a set with fixing screws
Winchester 69 (without dovetail)	RBNS.2 Front Block	RBL.3 No. 6 Rear	RBL.4 Block No. 1	ditto
Sportomatic Models 87A and 2	RBN.2 Front Block	RBL.3 No. 1 Rear	RBL.4 Block No. 1	"
Browning .22" Auto (without dovetail)	RBN.2 Front Block	RBL.3 No. 1 Rear	RBL.4 Block No. 10	"
Browning .22" Repeater (without dovetail)	RBN.2 Front Block	RBL.3 No. 1 Rear	RBL.4 Block No. 10	"
Post-war U.S. and Continental .22" rifles with dovetail	RCH.2	RCH.3	RCH.4	Fits straight on to dovetail on receiver of rifle

MOUNTS WITH WINDAGE ADJUSTMENT

For scopes which have no provision for windage adjustment, the above mounts are recommended, which are available in all ring diameters, but are only manufactured in one height. List Nos. are as follows:

SCOPE DIAMETER	⅞" (22 mm.)	1" (25.4 mm.)	1.02" (26 mm.)
B.S.A. Centrefire Mauser type sporting rifle....	ARAS.2	ARAS.3	ARAS.4
Brno High Power.....	ARAX.2	ARAX.3	ARAX.4
*For all other model rifles	ARBS.2	ARBS.3	ARBS.4

*See chart for appropriate blocks opposite



Both front and rear mounts (type ARBS.3) illustrated above have provision for lateral adjustment.



TYPICAL BASE BLOCKS

17 different base blocks are being manufactured which enable Roll-Off Mounts to be used on or adapted to nearly all makes of rifles.

CHECK THESE FEATURES

- **INSTANTLY REMOVEABLE**
- **ABSOLUTELY ACCURATE REALIGNMENT ON REFITTING**
- **EASILY INSTALLED**
- **RUGGED CONSTRUCTION**
- **BEAUTIFUL FINISH**
- **CHOICE OF TWO TYPES — WITH OR WITHOUT WINDAGE ADJUSTMENT**
- **VARYING HEIGHTS OF MOUNTS AVAILABLE FOR DIFFERENT SCOPE OBJECT LENS SIZES**
- **LIGHTWEIGHT — ONLY 3 ozs. COMPLETE WITH BASE BLOCKS**

R W S CENTRE FIRE AMMUNITION

RWS Rifle Cartridges are famous throughout the world for their quality and excellent performance.

Precision produced and primed with the non-corrosive, non-erosive Sinoxid Primers, they are guaranteed to give the best results obtainable. It is noteworthy, that the killing power of the comparatively newly developed RWS H-Mantel bullet has prompted the Manufacturers to introduce this type of bullet to the North American hunters by loading the popular .270 Winchester cartridge with a 154 gr. H-Mantel bullet, which has earned the praise of all those who have used it on big game.



6.5x54 Mannlicher Schoenauer SP



7x65R H-Mantel, copper hollow point



8x57 JRS H-Mantel, lead point



9.3x72R SP, Copper Jacket "C", flat nose



9.3x74R H-Mantel, copper hollow point

H-Mantel CHP Bullets for Reloading

Cal. .270 - 154gr; 7mm - 173gr; 8.15mm - 187gr (only for larger "S" barrels with .310/.323" or 7.89/8.20mm bore)

LEGEND:

SP - Soft point
RN - Round Nose
FN - Flat Nose
LP - Lead Point
CSP - Copper Soft Point
DM - D-Mantel
HM - H-Mantel
SS - Sharp Shoulder
CJ - Copper Jacket
CHP - Copper Hollow Point

10 Cartridges per box.

CALIBER	TYPE OF BULLET	WEIGHT GRAINS	MUZZLE VELOCITY FT/SEC
.22 Hornet	CSP Spitzer	46	2430
5.6 x 52R (.22 Savage)	DM	72	2890
6.5 x 54 M. – Sch.	SP RN	159	2180
6.5 x 57	SP Spitzer	93	3320
6.5 x 57R	SP Spitzer	93	3320
6.5 x 68	SP Spitzer	93	3950
.270 Win.	HM CHP	154	2570
7 x 57	SP RN SS	139	2560
7 x 57	HM LP	173	2525
7 x 57	HM CHP	173	2525
7 x 57R	SP RN SS	139	2560
7 x 57R	HM LP	173	2525
7 x 57R	HM CHP	173	2525
7 x 64	SP RN SS	173	2620
7 x 64	HM CHP	173	2780
7 x 65R	SP RN SS	173	2620
7 x 65R	HM CHP	173	2780
8 x 56 M. – Sch.	SP RN SS	202	2170
8 x 57J	SP RN SS	196	2350
8 x 57JS*	SP RN SS	196	2630
8 x 57JS*	HM LP	187	2690
8 x 57JS*	HM CHP	187	2690
8 x 57JR	SP RN SS	196	2350
8 x 57JR	HM LP	196	2480
8 x 57JRS*	SP RN SS	196	2400
8 x 57JRS*	HM LP	187	2510
8 x 57JRS*	HM CHP	187	2520
8 x 57R/360	SP RN SS	196	1750
8 x 60S Magnum	HM LP	187	2810
8 x 60S Magnum	HM CHP	187	2810
8 x 68S	HM CHP	187	3280
8.15 x 46R	SP CJ FN	151	1920
9 x 57R	SP RN SS	281	1920
9.3 x 62	SP RN SS	285	2330
9.3 x 62	HM CHP	258	2700
9.3 x 72R	SP CJ FN	193	2020
9.3 x 74R	SP RN SS	285	2300
9.3 x 74R	HM CHP	258	2620

*NOTE: Only for larger "S" barrels with .310/.323" bore.

SPORTING AMMUNITION

For decades DWM ammunition has been known throughout the world as Sporting Ammunition of the highest quality with excellent ballistical properties. Noted for their uniformity and high precision, all DWM cartridges have rust-free, non-erosive and non-mercuric priming.

This fine ammunition is now available to Canadian hunters in the most popular European standard Calibers loaded with the famous BRENNEKE TORPEDO IDEAL bullets and in the widely used 30-06 Caliber with Soft Point bullets and in two bullet weights. All other DWM manufactured ammunition is available on special order.

10 Cartridges per Box



7 x 57 Torpedo Ideal Bullet



30-06 (7.62 x 63) Torpedo SP



7 x 64 Torpedo Ideal Bullet



8 x 57JS Torpedo Ideal Bullet



7 x 65R Torpedo Ideal Bullet

7mm Torpedo Ideal Bullet, 162 gr.



.404 Jeffery (10.75 x 73) Solid

BALLISTICS

Caliber	Type of Bullet	Weight Grains	Muzzle Velocity Ft./Sec.
7 x 57 Mauser	Brenneke Torpedo Ideal, Soft Point	162	2780
7 x 57R Mod. 93 B	Brenneke Torpedo Ideal, Soft Point	162	2710
7 x 64 Brenneke	Brenneke Torpedo Ideal, Soft Point	162	2940
7 x 65R Brenneke	Brenneke Torpedo Ideal, Soft Point	162	2890
30-06 Springfield	Spitzer, Soft Point	150	2900
30-06 Springfield	Torpedo, Soft Point	167	2590
8 x 57JS* Mauser	Brenneke Torpedo Ideal, Soft Point	198	2730
8 x 57JRS* Mod. 88	Brenneke Torpedo Ideal, Soft Point	198	2600
9.3 x 62 Mauser	Reinforced Jacket, Alu. Hollow Point	262	2530
9.3 x 74R	Reinforced Jacket, Alu. Hollow Point	262	2530
10.75 x 73 (.404 Jeffery)	Soft Point, Round Nose	401	2330

*NOTE: Only for larger "S" barrels with .310/.323" bore.

Weatherby MAGNUM AMMUNITION — ULTRA VELOCITY

UNPRIMED CARTRIDGE CASES

DUMMY CARTRIDGES



.257 WM Spire Point



7mm WM Spire Point



.270 WM Spire Point



.300 WM Spire Point

Ballistics Chart of Weatherby Magnum Cartridges

CALIBER	BULLETS		VELOCITY feet per second				ENERGY foot pounds				MID-RANGE TRAJECTORY with telescopic sights		
	Weight	Type	Muzzle	100 yds.	200 yds.	300 yds.	Muzzle	100 yds.	200 yds.	300 yds.	200 yds.	300 yds.	400 yds.
.257 WM	87	Spire Pt.	3930	3575	3195	2850	2984	2471	1974	1569	0.5	2.9	6.5
	100	Spire Pt.	3700	3400	3100	2810	3040	2562	2129	1753	0.7	3.3	7.5
	117	R.N.	3320	2950	2675	2380	2858	2260	1867	1472	1.4	4.4	8.5
.270 WM	100	Spire Pt.	3900	3545	3180	2820	3378	2794	2241	1766	0.8	2.7	6.5
	130	Spire Pt.	3450	3185	2920	2680	3429	2931	2461	2075	1.0	3.6	7.1
	150	R.N.	3240	2905	2590	2300	3489	2820	2234	1761	1.3	5.0	10.1
	150	Spire Pt.	3240	3010	2800	2600	3489	3018	2612	2252	1.1	3.9	8.3
7mm WM	139	Spire Pt.	3465	3195	2930	2685	3709	3153	2649	2233	1.0	3.3	7.1
	154	Spire Pt.	3260	3035	2820	2605	3627	3160	2720	2330	1.2	3.8	8.3
	175	R.N.	3067	2790	2500	2270	3662	3024	2429	2002	1.4	5.0	11.5
.300 WM	150	Spire Pt.	3630	3360	3095	2850	4389	3753	3193	2706	0.8	3.0	6.7
	180	Spire Pt.	3350	3115	2895	2685	4477	3882	3361	2892	1.0	3.9	7.5
	220	R.N.	3000	2740	2475	2230	4400	3667	3005	2429	1.5	4.9	11.5

Note: Because of the extremely flat trajectory of the Weatherby Magnum Calibers, the 100 yard trajectory has been omitted and the 400 yard trajectory added.



FEDERAL PRIMERS No. 215. Designed solely for Weatherby Magnum Cartridges and manufactured exclusively for Weatherby's. These Primers are to be used only in large capacity cartridge cases.

100 Primers per Box

GECO OIL-PROOF AUTOMATIC PISTOL AMMUNITION

GECO Pistol Cartridges have been manufactured for over 50 years. Known throughout the world for their excellent quality, they are suitable for all current Pistol Models of the same caliber.
Manufactured under strictest inspection, tolerances of .0004" must be maintained. To prevent oil penetration, the cartridges are hermetically sealed by a special red coloured, oil-proof lacquer and do not lose their efficiency. GECO cartridges are fitted without exception with the world-famous non-mercuric, non-corrosive SINOXID primers, which insure uniform firing, greatest possible percussion sensitivity and unlimited durability. Non-mercuric and therefore non-toxic, this ammunition does not develop fumes injurious to health.

Available in the following Calibers:

Cal. .25 (6.35)
Cal. .32 (7.65)
Cal. .380 (9mm short)
Cal. 9mm Luger

Packaging: 25 per box; 9mm Luger 50 per box

ROTTWEIL SHOTGUN SHELLS
STERN ("STAR") Brand

This **"ROTTWEIL" LONG RANGE GAME LOAD** is the newest of the world-famous Rottweil shotgun shells. The reinforced brass-plated steel head, the mercury-free SINOXID VI priming and the famous Rottweil flake powder, combined with precision loading, guarantee best performance. Star-crimped and loaded with top quality chilled shot, these red shells are treated with a special water-resistant lacquer.

12 Ga. 2¾" — 1 1/5 oz. Shot Nos. 2, 4, 5, 6
16 Ga. 2¾" — 1 oz; Shot Nos. 4, 5, 6
20 Ga. 2¾" — 9/10 oz; Shot Nos. 4, 5, 6

Packed: 10 per Box, 500 per Case.

RWS ORIGINAL "BRENNEKE" SHOTGUN SLUGS
"CAPERCAILLIE" Brand



The **BRENNEKE SHOTGUN SLUG** is probably the best known, having been used in all parts of the world on big and dangerous game. Precise loading combined with the qualities of the rifled BRENNEKE SLUG assure high velocity with low gas pressure, remarkable accuracy and best penetration.

Available in 12, 16 and 20 Gauge.
10 per Box.



PARKER-HALE SNAP CAPS. Dummy Cartridges with spring cushioned cap to prevent possible breakage of firing pin. Available in 12, 16 and 20 Gauge.

RWS "DIABOLO" MATCH AIR GUN PELLETS. Cal. .177. Most uniform in dimension and weight for assured consistent accuracy.

500 per Box.

NIMROD MOHAIR AIR GUN DARTS. Cal. .177. Precision manufactured and nickel plated for best performance. Assorted Colours. 12 per Package; 1 Gross per Box.

RWS RIM FIRE CARTRIDGES Cal. .22 "R" BRAND SINOXID

Carefully selected raw material, precision production of cases and a well balanced bullet designed in accordance with the latest knowledge of ballistics, combined with painstaking exactness of the load, guarantee best RWS quality and precision. In addition RWS Rim Fire Cartridges contain the Original Sinoxid Priming Composition, which guarantees non-corrosion, unlimited storability, high shock sensibility and preservation of the barrel.

RWS Cal. .22 Rim Fire Cartridges

.22 Short For Automatics; lead bullet, lubricated, Nickel plated case.

.22 Long Specially reduced charge for indoor use; lead bullet, lubricated.

.22 LR Standard Velocity; lead bullet, lubricated.

.22 LR High Velocity; lead bullet, copper coated.

.22 LR High Velocity; Hollow Point; lead bullet, copper coated.

Ballistic Data on RWS Rim Fire Cartridges Cal. .22

CARTRIDGE	BULLET		VELOCITY Ft/Sec.				ENERGY Ft/Lbs.			
	Type	Weight Grains	Muzzle	50	100	150 yds	Muzzle	50	100	150 yds
.22 Short Auto	Lead Bullet Lubricated	28	970				59			
.22 Long Reduced Charge	Lead Bullet Lubricated	28	720				32			
.22 LR Stand. Vel.	Lead Bullet Lubricated	39	1100	1000	920	855	105	87	73	63
.22 LR High Vel.	Lead Bullet Copper-Plated	39	1310	1105	985	910	149	106	84	72
.22 LR High Vel.	Hollow Point Lead Bullet Copper-Plated	35	1340	1115	975	880	140	97	74	60

.22 LR, Lead Bullet, Copper Coated

.22 LR, Hollow Point; Lead Bullet, Copper Coated

9mm Magnum Shot Shells
50 per Box

BB Caps Cal. .22
100 per Box

4mm Practice Ammunition
For Indoor Use with Insert Barrels
100 per Box

Hornady Bullets

ACCURATE AND DEADLY ON VARMINTS AND GAME

A comprehensive selection for handloaders . . . for every shooting purpose

Bullets photographed actual size • Cannelured as shown

















22 CALIBER (.223)
45 grain Hornet

22 CALIBER (.224)
45 grain Hornet
50 grain spire point
55 grain spire point
60 grain spire point

22 CALIBER SX (.224)
Super explosive for the 222.
50 grain spire point SX
55 grain spire point SX

6MM CALIBER (.243)
70 grain spire hollow point
70 grain spire point
87 grain spire point
100 grain round nose
100 grain spire point

25 CALIBER (.257)
60 grain spire point
75 grain spire hollow point
87 grain spire point.
100 grain spire point
117 grain round nose

6.5MM CALIBER (.263)
100 grain spire point.
129 grain round nose
140 grain round nose
160 grain round nose

270 CALIBER (.277)
100 grain spire point
130 grain spire point
150 grain round nose
150 grain spire point

7MM CALIBER (.284)
120 grain spire point
139 grain spire point
154 grain round nose
154 grain spire point
175 grain round nose

7.35MM CARCANO (.300)
128 grain

30 CALIBER (.308)
110 grain round nose
110 grain spire point
130 grain spire point
150 grain round nose
150 grain spire point
170 grain flat point (30-30)
180 grain round nose
180 grain spire point
220 grain round nose

303 CAL. and 7.7 JAP (.312)
150 grain round nose
174 grain round nose

32 SPECIAL (.321)
170 grain flat point

8MM CALIBER (.323)
150 grain round nose
170 grain round nose

338 CALIBER (.338)
200 grain spire point
250 grain round nose

348 CALIBER (.348)
200 grain flat point

35 CALIBER (.358)
200 grain round nose
250 grain round nose
275 grain round nose

375 CALIBER (.375)
270 grain round nose
300 grain round nose

45 CALIBER (.458)
350 grain round nose
500 grain round nose

FULL METAL JACKETS
30 caliber, 220 grain FMJ
375 caliber, 300 grain FMJ
45 caliber, 500 grain FMJ

Prices subject to change without notice.

HORNADY MFG. COMPANY
Box 906 • Grand Island, Nebraska

SINOXID PRIMERS

NON-CORROSIVE ★ NON-EROSIVE ★ NON-MERCURIC

Anvil Type Primers

No.	Diameter minimum mm	Diameter minimum inch	Height of cap maximum mm	Height of cap maximum inch	shape of base	Thickness of base mm	Thickness of base inch	Top view 1 : 1	Section 2 : 1	Priming Composition	Powder to be used	in boxes of
For Large Rifle Cartridges												
1973	5,33	.210	3,3	.13	flat	0,64	.0252			SINOXID	smokeless	250
For Small Rifle Cartridges												
2841	4,45	.175	3,0	.12	flat	0,50	.0197			SINOXID	smokeless	250
For Large Pistol Cartridges												
5304	5,33	.210	3,1	.12	round	0,45	.0177			SINOXID	smokeless	250
For Small Pistol Cartridges												
1961	4,45	.175	3,1	.12	round	0,42	.0165			SINOXID	smokeless	250

Berdan Type Primers

No.	Diameter minimum mm	Diameter minimum inch	Height of cap maximum mm	Height of cap maximum inch	shape of base	Thickness of base mm	Thickness of base inch	Top view 1 : 1	Section 2 : 1	Priming Composition	Powder to be used	Remarks	in boxes of
For Rifle Cartridges													
1680	5,05	.199	2,9	.11	round	0,70	.0276			SINOXID	smokeless	6,5 x 55 Krag. Joerg.	250
2610	5,48	.216	3,0	.12	flat	0,79	.0311			SINOXID	smokeless	Swed. Mauser & Krag. Joerg.	250
5603	5,5	.217	2,6	.10	flat	0,60	.0236			SINOXID	smokeless	German Mauser	250
1674	5,5	.217	2,7	.11	flat	0,79	.0311			SINOXID	smokeless	German Mauser	250
6000	6,34	.250	2,9	.11	flat	0,79	.0311			SINOXID	smokeless	.303 British	100
1775	6,45	.254	2,3	.09	flat	0,45	.0177			SINOXID	smokeless		100

IMPORTED GUN CASES — SLINGS — ACCESSORIES



No. 250 "Boyt" De Luxe Gun Case with hand-tooled borders and with, or without, inscription "Weatherby's". Made of best quality full grain saddle leather with deepest, richest, pile lining and solid brass hardware. Combination handle and adjustable shoulder strap; extra long zipper. For rifles with hunting scopes. Length: 48".



No. 251 The "Abilene" Gun Case. Handsome top grain cowhide in light tobacco brown colour with thick, chamois colour fleece lining. Full length zipper with locking ring and web zipper guard; matching fitted handle and hang-up loop. Rifle lengths will fit most rifles with hunting scopes. Length: 46", 48" and 50".



No. 252 "Leg of Mutton" Travelling Case for Double Barrel Shotguns with 26" or 28" barrels. Dark brown cowhide, lined, with leather handle and shoulder strap.

FINEST QUALITY GUN SLINGS



No. 2356 Six strand braided leather, dark brown; leather covered buckle; adjustable. Width: ¾".



No. 2333 Dark brown leather with brown canvas lining; leather covered buckles; adjustable at both ends. Width: ¾".

No. 2555 Soft, pliable, dark brown leather; slide buckle, fully adjustable. Width: 1".

HUNTER'S RUCKSACK

No. RS1 Made of strong, fine threaded impregnated hunting canvas, khaki colour, with removable and washable rubberized lining. Soft, wide, cowhide straps; leather reinforced corners and two large outside pockets. Size: 19" x 24".



No. 31 Silent dog whistle of finest quality; variable high pitch, nickel-plated brass. Length: 2⅜".

No. 21 Buffalo horn whistle of best quality; cork ball. Length: 2½".

THE "SEMPER" KRIEGHOFF INSERT BARREL Cal. .22 LR



The SEMPER Insert Barrel offers the hunter in the field an auxiliary .22 rifle. Weighing only 5.29 ozs., it is easily and quickly fitted into any Double Barrel Shotgun or Shotgun - Rifle Combination. No matter how often the Insert Barrel is removed and replaced, it will always retain its zero position and maintain its accuracy of approximately ¾" at 50 yds. When used in a Double, the installation of a bead front sight and folding leaf rear sight is required, whilst with Combination Guns, such as the "Drilling" or Mod. BBF, the regular sights are used. Available for 12 and 16 Gauge barrels. Length of Insert Barrel: 8⅝".

SHOTGUN AND RIFLE CLEANING KITS

1.
2.
3.

No. 5017 Cal. .22 Cleaning Kit. Finest quality three piece steel rod, plastic covered and brass jointed with ball bearing handle. Supplied with 1) brass jagged tip, 2) genuine bristle brush, and 3) brass wire brush. Length: 33".

1.
2.
3.



No. 5309 Shotgun Cleaning Kit, 12 Gauge. Three piece hardwood rod, brass jointed. Supplied with 1) Aluminum alloy spiral jag, 2) non-scratch, looped spring wire scourer and 3) wool swab. Length: 33".

For Rifle Barrel
Cal. .270 and larger

1.
2.
3.
4. 

For Shot Barrel
12 Gauge

1.
2.
3.

No. 5319 Shotgun-Rifle Combination Cleaning Kit for 12 and 16 Gauge Shot barrels and Rifle barrels in Cal. .270 and larger. Three piece steel rod, plastic covered and brass jointed with ball bearing handle. Length: 32". Supplied with the following cleaning implements:

Rifle barrel
1. Aluminum alloy spiral jag
2. Genuine bristle brush
3. Wool swab
4. Shot barrel adapter

Shot barrel:
1. Aluminum alloy spiral jag
2. Non-scratch, looped spring wire scourer
3. Wool swab

WILKIE

COMPASSES OF QUALITY



No. 501 Brass Compass with 1⅜" (35mm) metal dial and stop.

No. 502 Nickel plated Compass with 1¾" black metal dial, jewelled pivot, luminous points and lock.

No. 504 Fluid Wrist Compass with black oxidized metal dial, jewelled pivot, luminous points and black leather strap.



No. 503 Sturdy, nickel plated Compass with hinged cover; case 1mm thick, 1¾" (45mm) metal dial, jewels, luminous points and stop.



Field Compass with Oil Damping

No. 505 The new, hinged, sturdy metal cover with inserted mirror protects the revolving graduated dial ring on all sides. Black dial with luminous radium dots; direction aiming sight; pin resting in agate bearings. The handling ring folds into bottom of the case; carrying cord. 360° dial.

MALLARDTONE

"Game Calls of the Highest Quality"
SATISFACTION IS GUARANTEED ON ALL MALLARDTONE CALLS

PACKAGED IN ATTRACTIVE DISPLAY BOXES OF SIX

MALLARDTONE DUCK CALLS



Made of select materials and carefully constructed, the Mallardtone Duck Call incorporates every feature that is desirable in a call. It is designed for easy take down and reassembly without getting out of tune. Combined with a plastic reed and water resistant tone channel it affords a call that will stay ready for use in all weather. The Mallardtone has a smooth mouthpiece and is the ideal size. The fine high quality finish of the walnut wood is an indication to the care and workmanship that go into every call. **Extra reed with each call**

MALLARDTONE GOOSE CALLS

As with all Mallardtone calls the Goose Call has all replaceable parts. Every call is treated against moisture and will blow wet or dry. The Mallardtone Goose Call has the true honker tone. It raises from the low to the high note with a minimum of effort on the part of the hunter should he be novice or professional. **Extra reed with each call.**

MALLARDTONE CROW CALLS



A luxurious finish, a striking emblem and the finest packaging of any Crow Call on the market make these calls real eye catchers. Made of finest hardwoods and manufactured to perfect tolerances, Mallardtone calls are exceptionally uniform. They will give perfect reproductions of all calls made by crows. From the clear distinct rally call, to the raucous fighting call, they have the true tone quality all avid hunters look for. **Extra reed with each call.**

MALLARDTONE PREDATOR CALLS



In keeping with the Mallardtone tradition of manufacturing fine high quality game calls, we offer to the sportsman a predator call made of handsome walnut, with a rich satin finish and an attractive emblem. The Predator Call is tuned to perfection, as are all Mallardtone Calls. They will deliver the true natural sound of a rabbit in distress. A Fox, Coyote, Bobcat, or any other predatory animal or bird, will respond at once to these superior calls.

MALLARDTONE SQUIRREL CALLS

The Mallardtone Squirrel Call features, as with all other Mallardtone products, beauty, and ease of operation. They are constructed of fine walnut wood, and a durable rubber bellows. To operate, you merely tap the bellows on your hand, leg, or gunstock. To give variation to the sound, is accomplished by restricting the flow of air through the open end, muting the chatter.

Finest Duck Calling Instruction Record — 45 R.P.M.

Finest Crow Calling, and Predator Calling Instructions on one record—45 R.P.M.

FINEST SOLINGEN HUNTING KNIVES
"FAN" BRAND

Made in SOLINGEN by Carl Schlieper, the "Fan" Brand Knives are renowned for their quality of design, manufacture, and excellent finish.

Made from double refined high carbon steel, hammer forged, expertly hardened and tempered, all knives are hand ground and sharpened to long-lasting, keen cutting edges. The same knowledge and meticulous care is applied in the manufacture of stainless steel blades. Only the most select materials are used in the manufacture of "Fan" Brand Knives.



No. 2706/180

Mountaineer Pattern Hunting Knife with an ideal all purpose blade of finest chrome-alloy crucible steel; full tang, genuine stag scales and nickel silver rivets. Supplied with a reinforced dark green leather sheath. Length of blade: 5½".



No. 2706/179

Bavarian Pattern Hunting Knife with plain blade of finest chrome-alloy crucible steel and genuine stag scales. Supplied with reinforced dark green leather sheath. Length of blade: 4½".



No. 3500/9

Buffalo Skinner. Extra strong blade with special thumb rest; Polly stag handle with molded buffalo. Sturdy, fancy leather sheath. Length of blade: 5".



No. 2608/29

Hunter's Folding Knife. Single strong 4½" blade with blood groove, locks when opened. Imitation stag handles with nickel silver bolsters and collapsible finger guard.



No. 2706/145

Universal Hunting Knife with a plain blade and Swedish type finger guard. Black handle with silver metal rings; fancy black leather sheath. Length of blade: 4½".

FINEST SOLINGEN "FAN" BRAND KNIVES



No. 2706/10

Skinning Knife. Extra wide blade of finest Carbon steel, hammer-forged, with leather handle and sheath. Length of blade: 4½".



No. 2706/286 Fisherman's Filleting Knife. Flexible, polished stainless steel blade with one side hollow ground; Pakkawood handle with nickel steel rivets. Dark brown leather sheath. Length of blade: 6⅛".

No. 2706/64

Hatchet and Knife Combination Camping Set. Axe with notch and 12" hardwood handle; hunting knife with 4" blade and Polly stag handle. Combination hatchet and knife leather sheath.

No. 2601/309

Pocket Knife of superior quality with three extra strong and polished blades of crucible steel; imitation stag handles with nickel silver bolsters and shield. Length: 2⅝".



No. 2601/13

De Luxe Pocket Knife made entirely of stainless steel. Two mirror polished blades and nail file; ornamented handles. Length: 3⅓".

Sabad Gun Shop
WEST VALLEY,
NEW YORK

Sabad Gun Shop
WEST VALLEY,
NEW YORK

C A N A D I A N S A U E R L I M I T E D

103 CHURCH ST., TORONTO 1, ONT.

WHOLESALE PRICE LIST

JUNE 1st 1961

Catalogue			Wholesale $	Sugg. Retail $
Page 1		**J. P. Sauer & Son Sporting Guns**		
		Mod. KIM; with Standard Fore-End	117.00	156.00
		" KIM; with Beavertail Fore-End	121.00	161.50
		" KIM E; with Beavertail Fore-End	156.00	208.00
"	2	" KIM EA; with Beavertail Fore-End	161.00	215.00
"	3	" Royal; with Standard Fore-End	177.50	237.00
		" Royal; with Beavertail Fore-End	182.00	243.00
"	4	" 3000; 16 Gauge & 7x65R or 30-06	315.50	421.00
		" 3000; in other calibers; on special order	302.00	403.00
		" 3000; Beavertail Fore-End, on special order, extra	6.00	8.00
		" 3000 De Luxe; 16 Gauge & 7x65R	362.50	483.50
		" Alaska; 12 Gauge & 30-06	442.00	590.00
"	5	" BBF; in all available calibers	249.00	332.00
		" BBF; 16 Gauge & 7x65R or 30-06, on special order	262.50	350.00
		European Scope Mounts (Claw Mounts)		
		Installed on Drillings or Mod. BBF, on special order	65.00	85.00
		GECO Double Barrel Shotguns - New Models		
		Mod. 60; 12 Gauge only; available from August 1st 1961	129.00	172.00
		" 60E; 12 Gauge only; available from August 1st 1961	152.50	203.50
"	6	**Walther Small Bore Rifles**		
		Mod. KKJ; Cal. .22 LR	71.00	94.75
		5 shot clip magazine	2.15	2.90
		8 shot clip magazine	3.45	4.60
		" KKJ-H; Cal. .22 Hornet	76.75	102.50
		5 shot clip magazine	3.20	4.30
		Full length carbine stock for Mod. KKJ or KKJ-H, on special order, extra	18.45	24.60
		Dougle set trigger for Mod. KKJ or KKJ-H, on special order, extra	7.90	10.55
		Walther Slide-On Scope Mounts	11.70	17.55
"	7	" KKJ-M (Canada), Cal. .22 LR	72.00	96.00
		5 shot clip magazine	2.15	2.90
		8 shot clip magazine	3.45	4.60
		" KKM-Matchmaster, Cal. .22 LR	81.00	108.00
		Front Sight Inserts for Mod. KKJ-M, set of 4	1.00	2.00

Catalogue		Wholesale $	Sugg. Retail $
Page 8	**Walther Accessories**		
	Hensoldt Optics Receiver Sight	15.40	20.55
	Micrometer Peep Sight	13.05	17.40
	Open Micrometer Rear Sight	7.75	10.50
	Adjustable Aperture	4.20	5.60
	Front Sight Disk	1.80	2.70
	Adjustable Sling Attachment	5.45	7.25
	Rifle Sling	3.90	5.85
	Rubber Eye Disk	.70	1.05
	Rubber Eye Disk with 30% Uropal or 50% Umbral Filter	1.60	2.40
	Front Sight Inserts for KKM Models, Set of 4	1.00	2.00
" 9	Mod. KKM-Match, Cal. .22 LR	186.75	249.00
" 10	**Krico Small Bore Rifles**		
	Mod. 250 Auto; Cal. .22 LR	44.75	59.75
	5 shot clip magazine	2.85	3.80
	10 shot clip magazine	3.50	4.75
	15 shot clip magazine	4.60	6.15
	" 410; Cal. .222 Rem.	107.00	142.75
	Extra Magazine	4.85	6.50
	Krico Slide-On Scope Mounts	14.25	19.00
	Krico Slide-On Scope Mounts for Scopes w. Rail	12.00	16.00
Weatherby Insert	**Weatherby De Luxe Rifles**		
	Mark V; Cal. .257WM, .270WM, 7mmWM, .300WM - Right	216.00	288.00
	Mark V; " " " " " - Left	238.50	318.00
	Mark V; " .378WM - Right, on special order	276.75	369.00
	Mark V; " .378WM - Left , on special order	304.50	406.00
	Mark V; " .460WM, Super De Luxe, right or left, on special order	460.50	614.00
	After June 30th 1961		
	Mark V; Cal. .257WM, .270WM, 7mmWM, .300WM - Right	221.25	295.00
	Mark V; " " " " " - Left	243.75	325.00
	Mark V; " .378WM - Right, on special order	295.00	394.00
	Mark V; " .378WM - Left , on special order	322.50	430.00
	Mark V; " .460WM, Super De Luxe, right or left, on special order	460.50	614.00
	Scope Mounts and Open Sights for Weatherby Rifles		
	Buehler Two-Piece Scope Mounts, installed	22.50	33.75
	Front Sight: Williams Hooded Ramp Front Sight installed	9.75	12.95

Catalogue		Wholesale $	Sugg. Retail $
	Open Sights cont'd.		
	Rear Sight: Marble Folding Leaf adjustable Rear Sight or Lyman Folding Sight on Williams Dovetail Base, installed	9.75	12.95
	Peep Sight: Williams Foolproof Receiver Peep Sight, installed	13.25	17.65
	Buehler Little Blue Peep, Mk. III, Mod. B	3.35	5.00
	Range Fire and Sighting in at 100 yds.	7.50	10.00
	Weatherby Catalogue "Tomorrow's Rifles Today"	2.00	3.00
	Weatherby Imperial Scopes: see page 5		
	Weatherby Magnum Ammunition and Unprimed Cases: see page 7		
	Custom Rifles: Quotations on request.		
Page 11	**Walther Air Rifles**		
	Mod. LG 51 Z, Cal. .177	22.75	30.50
	" LG 53 ZD, Cal. .177	31.75	42.50
	" LG 55 M, Cal. .177	43.75	58.50
	Adjustable Aperture	4.20	5.60
	Adjustable Aperture with rubber eye disk	4.90	6.65
	Rubber eye disk	.70	1.05
	Front Sight Inserts for Mod. LG 53 ZD, set of 3	.45	.90
	Front Sight Inserts for Mod. LG 55 M, set of 3	.45	.90
" 12	**Walther Automatic Pistols**		
	Mod. P 38; Cal. 9mm Luger	84.75	113.00
	Insert Barrel for P. 38, Cal. 4mm (M20)	10.55	14.10
	Magazine for P 38	5.20	6.95
	De Luxe Case for P 38	7.40	11.10
	Holster for P 38	6.20	8.30
" 13	" PP, Cal. .22 LR	47.25	63.00
	" PP, Cal. .32 or .380	44.25	59.00
	" PPK,Cal. .22 LR	45.85	61.25
	" PPK,Cal. .32 or .380	42.80	57.25
	Note: Mod. PPK Lightweight in Cal. .22 LR or .32 on special order only; prices on request.		
	Insert Barrels (Cal. 4mm M 20)		
	For Mod. P 38, 9mm Luger	10.55	14.10
	For Mod. PP, Cal. .32	9.25	12.35
	For Mod. PPK, Cal. .32	9.25	12.35

Catalogue		Wholesale $	Sugg. Retail $
Page 13	**Extra Magazines**		
	Standard Mag. for Mod. PP & PPK, Cal. .22 LR	2.75	4.15
	" " " Mod. PP & PPK, Cal. 32 & .380	2.60	3.90
	Finger-Rest Mag. for Mod. PP & PPK, Cal. .22 LR	3.05	4.60
	" " " " Mod. PP & PPK, Cal. .32 & .380	2.90	4.35
	Extension Mag. for Mod. PP & PPK, Cal. .22 LR	3.55	5.35
	" " " Mod. PP & PPK, Cal. .32 & .380	3.45	5.20
	Holsters for Mod. PP & PPK	2.15	3.25
" 14	Mod. Sport, Cal. .22 LR, with 6" or 8 3/8" barrel	51.75	69.00
	" Sport "C", Cal. .22 LR, with 8 3/8" barrel	53.75	71.75
	Magazine for Mod. Sport	3.25	4.90
	Counterweight for Mod. Sport, with 8 3/8" barrel	6.20	8.30
	Muzzle Brake for Mod. Sport	2.80	4.20
	Holster for Mod. Sport, 6" barrel	2.80	4.20
	Holster for Mod. Sport, 8 3/8" barrel	3.00	4.50
	Fancy Pistol Case for Mod. PP or PPK	6.30	9.45
	Fancy Pistol Case for Mod. Sport	6.60	9.90
	Walther Pistol Key Rings	.75	1.50
" 15	**Haemmerli Pistols**		
	Mod. 205 (USA) Haemmerli Olympia Pistol, Cal. .22 LR	242.00	
" 16	" 101 Haemmerli Match Pistol	219.00	
	" 102 Haemmerli Match Pistol, on special order	231.50	
	" 103 Haemmerli Match Pistol, on special order	274.00	
" 17	**Hy Hunter Revolvers and Derringers**		
	Frontier Six-Shooter, Cal. .22 LR	31.10	41.50
	Frontier Derringer, Cal. .22 LR, blued	14.25	18.95
	Frontier Derringer, Cal. .22 LR, Chrome finish	16.10	21.50
	Frontier Derringer, Cal. .38 Special, C.F., Chrome	31.10	41.50
	Derringer Hide-Away Holster	6.75	9.00
" 18	**Starting Pistols**		
	Mod. UP 1, blued	6.95	9.25
	" UP 1, Chrome finish	7.90	10.55
	" Record A, blued	1.90	2.55
	" Record A, Chrome finish	2.45	3.30
	" Record B, blued	2.85	3.80
	" Record B, Chrome finish	3.40	4.55
	Blank Cartridges, Cal. .22, box of 100	.60	.90
	Flares, Cal. 7mm box of 10	.90	1.35
	Flares, Cal. 9mm box of 10	1.05	1.60

Catalogue				Wholesale $	Sugg. Retail $
Weatherby Insert	**Weatherby Imperial Scopes**				
		2¾ x 90	Crosshairs or Tapered Post	48.75	75.00
		4x81	" " " "	55.25	85.00
		6x62	" " " "	61.75	95.00
		2x to 7x	" " " "	70.85	109.00
		2¾ to 10x	Crosshairs	79.95	123.00
			Lee Dot on special order, extra	10.90	16.80
Page 19	**Pecar Scopes**				
	Mod. IS	2¾ x 64	Crosshairs or Tapered Post	34.70	53.40
	" IIS	4x81	" " " "	39.90	61.40
	" IIIS	6x59	" " " "	42.25	65.00
" 20	" IVS	8x43	Crosshairs	51.00	78.50
	" V1-S	3x to 7x	Crosshairs or Tapered Post	55.00	84.70
	" V2-S	4x to 10x	Crosshairs	58.75	90.40
	Lightweight Scopes				
	Mod. IIL	4x81, on special order		43.50	67.00
	" IIIL	6x59, on special order		45.65	70.30
	Note: Tapered Crosshairs (No. 16) available in Mod. V1-S and V2-S; extra			6.75	10.40
	Reticules Nos. 3 & 15 on special order; No. 3 no extra charge; No. 15, extra			6.75	10.40
" 21	**Telescopic Sight Mounts**				
	Buehler Two-Piece Scope Mount			17.50	26.25
	"R" Bases only, 1 pair			7.90	11.85
	Rings only, 1 pair			10.50	15.75
	Buehler Little Blue Peep, Mark III, Mod. B			3.35	5.00
	European Q.D. Mounts with Split Rings			12.50	16.75
	European Q.D. Mounts for Scopes with Rail			11.50	15.35
" 22	Parker-Hale Roll-Off Mounts, per set			8.30	12.50
	Bases only			1.80	2.70
	Rings only			6.75	10.15
	Parker-Hale Roll-Off Mounts with windage adjustment, per set			11.85	17.80
	Bases only			1.80	2.70
	Rings only			10.20	15.30
" 23	**RWS Centrefire Cartridges and H-Mantle Bullets**				
	Cal. .22 Hornet	CSP Spitzer	46 gr. box of 20	2.50	3.35
	" 5.6x52R (.22 Savage)	DM	72 " box of 10	2.75	3.65
	" 6.5x54 M.Sch.	SP RN	159 "	1.80	2.40
	" 6.5x57	SP Spitzer	93 "	2.25	3.00
	" 6.5x57R	SP Spitzer	93 "	2.65	3.55
	" 6.5x68	SP Spitzer	93 "	2.90	3.90

Catalogue				Wholesale $	Sugg. Retail $
Page 23	**RWS Centrefire Cartridges cont'd.**				
	Cal. .270 Win.	HM CHP	154 gr. box of 10	2.20	2.95
	" 7x57	SP RN SS	139 "	2.05	2.75
	" 7x57	HM LP	173 "	2.60	3.50
	" 7x57	HM CHP	173 "	2.70	3.60
	" 7x57R	SP RN SS	139 "	2.05	2.75
	" 7x57R	HM LP	173 "	2.60	3.50
	" 7x57R	HM CHP	173 "	2.70	3.60
	" 7x64	SP RN SS	173 "	2.60	3.50
	" 7x64	HM CHP	173 "	3.00	4.00
	" 7x65R	SP RN SS	173 "	2.85	3.80
	" 7x65R	HM CHP	173 "	3.40	4.55
	" 8x56 M.Sch.	SP RN SS	202 "	2.35	3.15
	" 8x57J	SP RN SS	196 "	1.65	2.20
	" 8x57JS	SP RN SS	196 "	1.65	2.20
	" 8x57JS	HM LP	187 "	2.15	2.90
	" 8x57JS	HM CHP	187 "	2.35	3.15
	" 8x57JR	SP RN SS	196 "	2.00	2.65
	" 8x57JR	HM LP	196 "	2.55	3.40
	" 8x57JRS	SP RN SS	196 "	2.00	2.70
	" 8x57JRS	HM LP	187 "	2.55	3.40
	" 8x57JRS	HM CHP	187 "	2.70	3.60
	" 8x57R/360	SP RN SS	196 "	2.55	3.40
	" 8x60S Magn.	HM LP	187 "	2.85	3.80
	" 8x60S Magn.	HM CHP	187 "	2.85	3.80
	" 8x68S	HM CHP	187 "	3.60	4.80
	" 8.15 x 46R	SP CJ FN	151 "	2.40	3.20
	" 9x57R	SP RN SS	281 "	2.60	3.50
	" 9.3x62	SP RN SS	285 "	2.55	3.40
	" 9.3x62	HM CHP	258 "	3.05	4.10
	" 9.3x72R	CJ SP FN	193 "	2.55	3.40
	" 9.3x74R	SP RN SS	285 "	2.95	3.95
	" 9.3x74R	HM CHP	258 "	3.40	4.55
	RWS H-Mantle Bullets				
	Cal. .270	154 gr.	per 100	12.60	16.80
	" 7mm	173 "		13.90	18.55
	" 8.15	187 "		14.55	19.40
" 24	**DWM Centrefire Cartridges**				
	Cal. 7x57	BTI SP	162 gr. box of 10	2.50	3.35
	" 7x57R	BTI SP	162 "	2.95	3.95
	" 7x64	BTI SP	162 "	4.30	5.75
	" 7x65R	BTI SP	162 "	4.65	6.20

Catalogue					Wholesale $	Sugg. Retail $
Page 24	**DWM Centrefire Cartridges cont'd.**					
	Cal. 30-06	Spitzer SP	150 gr.	box of 10	2.65	3.55
	" 30-06	Torpedo SP	167 "		2.65	3.55
	" 8x57JS	BTI SP	198 "		2.50	3.35
	" 8x57JRS	BTI SP	198 "		2.85	3.80
	" 9.3x62	RJ AHP	262 "		3.40	4.55
	" 9.3x74R	RJ AHP	262 "		3.80	5.05
	" 10.75x73 (.404)	SP RN	401 "		4.30	5.75
" 25	**Weatherby Magnum Ammunition**					
	Cal. .257WM, .270WM, 7mmWM			box of 20	5.95	7.95
	" .300WM				6.70	8.95
	" .378WM				16.75	20.95
	" .460WM				19.50	24.40
	Weatherby Unprimed Cartridge Cases					
	Cal. .257WM, .270WM, 7mmWM, .300WM			box of 20	3.00	4.00
	Federal Primers, No. 215			box of 100	1.20	1.60
	Weatherby Dummy Cartridges					
	Cal. .257WM, .270WM, 7mmWM, .300WM				ea. .40	.60
	" .378WM & .460WM				1.10	1.65
" 26	**GECO Pistol Ammunition**					
	Cal. .25 (6.35)			box of 25	1.60	2.15
	" .32 (7.65)				1.85	2.50
	" .380 (9mm short)				2.00	2.70
	" 9mm Luger			box of 50	4.90	6.55
	Rottweil Shotgun Shells - Stern (Star) Brand					
	12 Gauge, 2¾", Shot Sizes		2, 4, 5, 6	box of 10	1.15	1.55
	16 " 2¾" " "		4, 5, 6		1.10	1.50
	20 " 2¾" " "		4, 5, 6		1.10	1.50
	In Boxes of 25; limited supply					
	12 Gauge, 2¾", Shot Sizes		2, 4, 5		2.85	3.80
	16 " 2¾" " "		2, 4		2.75	3.70
	20 " 2¾" " "		4, 5, 6		2.75	3.70
	RWS Brenneke Slugs					
	12 Gauge			box of 10	2.30	3.05
	16 "				2.20	2.95
	20 "				2.15	2.90

Catalogue			Wholesale $	Sugg. Retail $
Page 26	Parker Hale Snap Caps; 12, 16 or 20 Gauge, per pair		1.85	2.80
	RWS Airgun Pellets	box of 500	.56	.85
	Nimrod Airgun Darts, Cal. 4.5mm	box of 1 gross	2.50	.45 doz.
" 27	RWS Rimfire Ammunition in boxes @ 50			
	Cal. .22 Short	per M $ 11.70	.59	.80
	" .22 Long, specially reduced charge	12.95	.65	.87
	" .22 Standard Velocity	14.50	.73	.98
	" .22 High Velocity	14.95	.75	1.00
	" .22 High Velocity Hollow Point	14.95	.75	1.00
	BB Caps, Cal. .22	box of 100	.90	1.35
	Magnum Shotshells, 9mm	box of 50	2.55	3.40
	Practice Ammunition Cal. 4mm M 20	box of 100	1.35	1.80
" 28	Hornady Bullets			
	22 Caliber (.223)	per 100		
	45 grain Hornet		3.00	4.00
	22 Caliber (.224)			
	45 grain Hornet		3.00	4.00
	50 grain spire point		3.25	4.35
	55 grain spire point		3.25	4.35
	60 grain spire point		3.25	4.35
	22 Caliber SX (.224) Super explosive for the .222			
	50 grain spire point SX		3.25	4.35
	55 grain spire point SX		3.25	4.35
	6mm Caliber (.243)			
	70 grain spire hollow point		4.20	5.60
	70 grain spire point		4.20	5.60
	87 grain spire point		4.40	5.90
	100 grain round nose		4.65	6.20
	100 grain spire point		4.65	6.20
	25 Caliber (.257)			
	60 grain spire point		4.10	5.50
	75 grain spire hollow point		4.25	5.70
	87 grain spire point		4.40	5.90
	100 grain spire point		4.65	6.20
	117 grain round nose		4.90	6.55

Catalogue		Wholesale $	Sugg. Retail $
Page 28 Hornady Bullets cont'd.			
6.5mm Caliber (.263)			
100 grain spire point	per 100	4.65	6.20
129 grain round nose		5.05	6.75
140 grain round nose		5.30	7.10
160 grain round nose		5.55	7.40
270 Caliber (.277)			
100 grain spire point		4.80	6.40
130 grain spire point		5.30	7.10
150 grain round nose		5.55	7.40
150 grain spire point		5.55	7.40
7mm Caliber (.284)			
120 grain spire point		4.90	6.55
139 grain spire point		5.30	7.10
154 grain round nose		5.55	7.40
154 grain spire point		5.55	7.40
175 grain round nose		6.05	8.10
30 Caliber (.308)			
110 grain round nose		4.80	6.40
110 grain spire point		4.80	6.40
130 grain spire point		5.00	6.70
150 grain round nose		5.30	7.10
150 grain spire point		5.30	7.10
170 grain flat point (30-30)		5.55	7.40
180 grain round nose		5.55	7.40
180 grain spire point		5.55	7.40
220 grain round nose		6.05	8.10
303 Cal. and 7.7 JAP (.312)			
150 grain round nose		5.30	7.10
174 grain round nose		5.55	7.40
32 Special (.321)			
170 grain flat point		5.55	7.40
8mm Caliber (.323)			
150 grain round nose		5.30	7.10
170 grain round nose		5.55	7.40
338 Caliber (.338)			
200 grain spire point		6.05	8.10
250 grain round nose		6.60	8.80

Catalogue			Wholesale $	Sugg. Retail $
Page 28	**Hornady Bullets cont'd.**			
	348 Caliber (.348)			
	200 grain flat point	per 100	6.05	8.10
	35 Caliber (.358)			
	200 grain round nose		6.05	8.10
	350 grain round nose		6.60	8.80
	275 grain round nose		7.15	9.55
	375 Caliber (.375)			
	270 grain round nose		7.60	10.15
	300 grain round nose		7.70	10.30
	45 Caliber (.458)			
	350 grain round nose		12.50	16.70
	500 grain round nose		14.55	19.40
Page 29	**RWS Primers**			
	Anvil Type			
	No. 1973	box of 250 p. M.	9.20	3.10 p.b.
	2841		9.20	3.10
	5304		9.20	3.10
	1961		9.20	3.10
	Berdan Type			
	No. 1680		5.55	1.85
	2610		5.55	1.85
	5603		5.55	1.85
	1674		5.55	1.85
	6000	box of 100	7.30	1.00
	1775	" " "	7.30	1.00
" 30	**Gun Cases**			
	No. 250 Boyt De Luxe Case, 48"		37.50	50.00
	" 250 Boyt De Luxe Case with Weatherby Inscription		48.50	65.00
	" 251 Abilene Case, 46", 48" & 50"		13.50	20.25
	" 252 Leg of Mutton Case for 26" or 28" barrels		17.75	26.65
	Gun Slings			
	No. 2356		2.55	3.85
	" 2333		2.25	3.40
	" 2555		1.25	1.90
	" RS I Hunter's Rucksack		9.80	14.70
	" 31 Silent Dog Whistle		.90	1.80
	" 21 Buffalo Horn Whistle		.65	1.30
" 31	Semper Insert Barrel, Cal. .22 LR		16.65	22.20
	Installation on Drilling or Mod. BBF		7.75	10.50

Catalogue			Wholesale $	Sugg. Retail $
Page 31	**Shotgun & Rifle Cleaning Kits**			
	No. 5017, Cal. .22		2.00	3.00
	" 5309, 12 gauge		1.55	2.35
	" 5319, Shotgun/Rifle Combination Cleaning Kit		2.50	3.75
" 32	**Compasses**			
	No. 501		.50	.75
	" 502		.85	1.30
	" 503		1.15	1.75
	" 504		1.55	2.35
	" 505		2.75	4.15
" 33	**Mallardtone Game Calls**			
	Mod. MDC Duck Calls	box of 6	23.70	5.95 ea.
	" MGC Goose Calls		23.70	5.95
	" MCC Crow Calls		14.10	3.55
	" MFC Predator Calls		14.10	3.55
	" MSC Squirrel Calls		14.10	3.55
	Duck Calling Instruction Record		2.05	3.10
Page 34	**Hunting Knives**			
	No. 2706/180	doz. 44.35	3.90 pc.	5.85
	" 2706/179	36.75	3.25	4.90
	" 3500/9	28.55	2.50	3.75
	" 2608/29	66.15	5.80	8.70
	" 2706/145	21.35	1.90	2.85
" 35	" 2706/10	18.55	1.65	2.50
	" 2601/309	23.10	2.05	3.10
	" 2706/64	36.40	3.20	4.80
	" 2601/13	30.40	2.70	4.05
	" 2706/286 - Filleting Knife	31.60	2.80	4.20

GUN REPAIR AND SERVICE DEPARTMENT

For the convenience of our customers, we offer the services of our Repair Department where all general repairs are carried out on all European and American Sporting Guns.

Repairs under Warranty

As authorized by the manufacturers, repairs under warranty may be carried out on the following Sporting Guns:

J. P. Sauer & Son
Carl Walther
Weatherby's
Geco Shotguns
Marlin Firearms
Anschuetz Rifles

	Wholesale $	Sugg. Retail $
Installation of Scopes		
Prices depend on type of rifle, mounts ordered and work involved; quotations submitted on request.		
Cutts Compensators		
Compensator complete with 1 single choke tube, adapter and wrench	15.00	22.50
Compensator complete with adjustable tube	21.00	31.50
Compensator body with wrench and adapter only	12.00	18.00
Compensator wrench	.50	.75
Single choke tubes	3.00	4.50
Adjustable choke tube	9.00	13.50
Compensator adapters only	.95	1.40
Lyman Chokes		
Lyman choke complete with recoil chamber	13.85	20.75
Lyman choke complete	11.50	17.25
Installation Charges for Cutts Compensators and Lyman Chokes		
On guns with plain barrels	4.50	6.00
On guns with ventilated rib barrels	5.50	7.35
Reblueing		
The prices here quoted apply to guns in reasonably good condition only; quotations will be submitted on all others prior to commencement of work.		
Shotguns - Rifles		
All .22 Bolt Action Rifles	7.00	9.50
" .22 Pump, Lever or Automatic Rifles	7.50	10.00
" High Power Bolt Action Rifles	9.00	12.00
" High Power Lever or Pump Action Rifles	9.00	12.00
" Pump Action Shotguns or Automatics	9.00	12.00
As above with ventilated or matted rib	13.00	17.50
Shotgun Barrels		
Single barrel, plain	6.00	8.00
Single barrel, matted or ventilated rib	9.00	12.00
Double barrel, side by side	15.00	20.00
Over-Under, matted or ventilated rib	15.00	20.00
Shotgun-Rifle, over-under	15.00	20.00

Reblueing Shotgun barrels cont'd.	Wholesale $	Sugg. Retail $
Drilling barrels (3 barrels)	16.00	21.50
Double rifle barrels	15.00	20.00
"Antinit" or rust-preventive steel barrels	18.00	24.00
Receivers		
Receivers of Doubles, Over-Unders, Pump Guns or Automatics	7.50	10.00
Revolvers - Automatics		
Revolvers, small frame	7.50	10.00
Revolvers, large frame	9.50	12.75
Automatics, Cal. .25 or .32	7.00	9.50
Browning Automatics, 9mm	9.00	12.00
Colt Automatics, .45	9.00	12.00
Luger Pistols	12.00	16.00
Installation of Mershon Recoil Absorbers		
White Line De Luxe Recoil Absorber	3.00	4.50
White Line De Luxe Junior	2.45	3.70
White Line Rubber Butt Plate	2.05	3.10
Installation Charges	3.00	
Installation of European Sling Swivels, ¾"		
On Double Barrel Shotguns or Rifles	3.75	5.00

IMPORTED SHOTGUN AND RIFLE STOCK BLANKS
FINEST FRENCH WALNUT

Shotgun Blanks		
1-4	De Luxe, approx. length 17-18", width 2¼"	20.00
1-5	Super De Luxe as above	32.00
II-5	Super De Luxe, approx. length 19", width 2¼"	36.50
Rifle Blanks		
IV-4	De Luxe, approx. length 32-33", width 2 3/8"	32.00
Fore-End Blanks		
	De Luxe, approx. 15x2½x2½"	7.00
	Super De Luxe, approx. 14½x2 3/8 x 2 3/8"	11.50

- N O T E -

TERMS: 30 days net from date of invoice; prices FOB Toronto, Ont. Minimum order $ 10.00.

Prices: All prices are subject to change without notice.

Returned Merchandise: Returned goods will not be accepted unless by prior arrangement and within 10 days of receipt.

Claims: All claims for merchandise damaged in transit must be submitted to the carrier immediately upon receipt of damaged merchandise.

Ammunition Shipments: Ammunition may not be sent by parcel post and, unless otherwise requested, will be shipped by Express.